

INDEX TO THE RUBIACEAE BY JULIAN A. STEYERMARK

IN THE BOTANY OF THE GUAYANA HIGHLAND

BY B. MAGUIRE AND COLLABORATORS

Compiled by Joseph H. Kirkbride, Jr.¹.

Julian A. Steyermark has now completed his treatment of the Rubiaceae for the Botany of the Guayana Highland. It appeared as four installments in the Memoirs of The New York Botanical Garden: 10(5): 186-278, 17 Feb 1964; 12(3): 178-285, 10 Sep 1965; 17(1): 230-436, 22 Dec 1967; 23: 227-832, 30 Nov 1972. The importance of this work and its structure make it imperative that a complete index to it be available.

This index includes all taxa that appear in the foregoing papers. New taxa, new combinations, new names, new statuses, and emendations are underlined. Names in synonymy are indicated by underlined page numbers. Illustrations are indicated by the letter 't' preceding the page number.

- Acanthaceae 23: 232
Alibertia 12: 211, 222, 223;
23: 227, 346, 356
acuminata 12: 222, 223, 224,
225
var acuminata 12: 222,
223
var obtusiuscula 12: 222,
223
bertierifolia 12: 222, 223
dolichophylla 23: 355, 356
edulis 12: 219, 222, 223,
224, 225, 226; 23: 356
granulosa 12: 225
hispida 12: 211; 23: 356
latifolia 12: 222, 223,
224, 225
var latifolia 12: 225
var paraguensis 12: 225
var parvifolia 12: 225
longistipulata 12: 224
myrciifolia 12: 222, 226,
227
var myrciifolia 12: 226
var tepuiensis 12: 226
obidensis 12: 221
panamensis 12: 224
stenantha 23: 356
surinamensis 23: 355
triflora 12: 222, 223, 226
triloba 12: 222, 227;
23: 356
trinitatis 12: 222

1. Smithsonian Institution, U. S. National Museum, Washington, D. C. 20560.

Errors or omissions in this index are the responsibility of the compiler.

- Allenanthus
 erythocarpus 12: 185
 Amaioua 10: 218; 12: 211;
 23: 356
 affinis 12: 218
 brasiliiana 12: 212, 214
 brevidentata 12: 211, 214,
 216; 12: t217
 corymbosa 12: 212, 213,
 214, 216; 12: t213
 eriopila 12: 218
 fagifolia 12: 215, 216
 fusifera 12: 204, 218
 genipoides 12: 207, 218
 grandifolia 12: 218
 guianensis 12: 211, 212,
 214
 var β brasiliiana 12: 212
 var δ confertiflora 12:
 212, 214
 var guianensis 12: 214,
 215, 216; 12: t215
 var macrantha 12: 214,
 216
 hirsuta 12: 200, 218
 intermedia 12: 212, 214
 var brasiliiana 12: 212,
 214, 216
 var intermedia 12: 212
 laureaster 12: 212, 214
 longifolia 12: 211, 218
 occarpa 12: 218
 peruviana 12: 212
 petiolaris 12: 204, 218
 saccifera 12: 210, 218
 surinamensis 12: 203,
 219
 urophylla 10: 218; 12:
 219
 ursina 12: 203, 219
 utilis 12: 219
 velutina 12: 209, 219
 Ammianthus 12: 227
 Amphidasya 23: 227, 316,
 317, 318
 ambigua 23: 317, 318
 bullata 23: 317, 318,
 319, 320, 322
 colombiana 23: 318, 319,
 320
 intermedia 23: 318, 319,
 320, 322
 neblinae 23: 318, 319, 320,
 322; 23: t321
 umbrosa 23: 317, 318
 venezuelensis 23: 318, 320,
 322
 Anisomeris 17: 333, 334, 338,
 340
 albicaulis 17: 340
 apodantha 17: 340
 bella 17: 340
 catharine 17: 340
 caurensis 17: 335
 ecuaadorensis 17: 340
 grandiflora 23: 371
 juruensis 17: 340
 klugii 17: 340
 longifolia 17: 340
 malaneoides 17: 339
 modesta 17: 340
 monantha 17: 340
 multiflora 17: 335
 obtusa
 var pubescens 17: 341
 f grandifolia 17: 341
 f parvifolia 17: 341
 paniculata 17: 341
 peruviana 17: 341
 polyantha 17: 335
 protracta 17: 341
 purpusii 17: 337
 randioides 17: 341
 rauwolfioides 17: 341
 spinosa Presl. 17: 338
 spinosa (Jacq.) Schum. 17:
 334, 338
 volubilis 17: 340
 Aphanocarpus 12: 263
 steyermarkii 12: 264, 266;
 12: t265
 Apomuria 23: 407, 445
 Appunia 17: 354, 355, 360;
 23: 384, 385, 713
 angulata 17: 354, 355, 359;
 23: 385
 aurantiaca 17: 354, 355,
 356; 23: 385
 brachycalyx 17: 355, 359;
 23: 385
 calycina 17: 354, 355, 360;
 23: 385
 debilis 17: 354, 355, 359;
 23: 385

- guatemalensis 17: 354, 356,
 357; 23: 385
longiloba 17: 355, 358;
 23: 385
odontocalyx 17: 354, 355,
 359; 23: 385
parviflora 17: 360
seibertii 17: 354; 23: 384,
 386
sparsiflora 17: 355, 356;
 23: 385
surinamensis 17: 355, 359;
 23: 386
tenuiflora 17: 354, 356,
 357; 23: 386
 var leiophylla 17: 357,
 358; 23: 386
 var tenuiflora 17: 357,
 358
triphylla 17: 354, 355,
 360; 23: 385, 386
venezuelensis 17: 355,
 356; 23: 386
 Arachnothrix 17: 234, 241,
 249, 252, 253, 255
 buddleioides 17: 249
calycophylla 17: 250, 257,
 258; 17: t254
caucana 17: 251, 260
chimboracensis 17: 250,
 258
colombiana 17: 250, 258,
 259
costanensis 17: 251, 259
cupreiflora 17: 250, 258
 discolor 17: 249, 250, 251
educta 17: 251, 260
 elongata 17: 249
euryphylla 17: 250, 258
fosbergii 17: 250, 255
garciae 17: 250, 257
glabrata 17: 251, 260, 261
guettardioides 17: 250,
 260
 hispidula 17: 251, 259, 260
 hispidulus 17: 260
 laniflora 17: 249
 leucophylla 17: 249
lojensis 17: 250, 255
ovata 17: 250, 258, 259
perezii 17: 250, 258
peruviana 17: 250, 251
 reflexa 17: 249, 250, 252,
 253
 var breviloba 17: 252, 253
 var calycina 17: 252, 255
 var glandulifera 17: 252,
 253
 var inconstans 17: 252
 var meridensis 17: 252,
 253; 17: t254
 var reflexa 17: 252, 253,
 255
 var trichotoma 17: 252,
 255
 rosea 17: 252
rugulosa 17: 250, 258
venezuelensis 17: 250, 256
 Arariba 23: 299
 rubra 23: 307
 Aspidanthera 23: 275, 278
 rudgeoides 23: 278
 Barleria
 hirsuta 23: 313
 Basacantha 23: 325, 332
 asperifolia 23: 335
 calycina 23: 332
 dioica 23: 338
 hebecarpa 23: 333
 phyllosepala 23: 330, 331
 spinosa 23: 330
 var ferox 23: 331
 var macrophylla 23: 336
 var nitida 23: 330
 var polyantha 23: 331
 var pubescens 23: 338, 339
 Bathysa 12: 181, 186, 192
 australis 12: 192
pittieri 12: 185
 Bellardia
 repens 17: 303
 tontanea 17: 303
 Belynxkia 17: 354, 355; 23:
384, 385
 angulata 17: 359; 23: 385
 brachycalyx 17: 354, 359;
 23: 385
 calycina 17: 360; 23: 385
 odontocalyx 17: 359; 23: 385
 surinamensis 17: 354, 359;
 23: 386
 triphylla 17: 360; 23: 386
 Bertiera 17: 316, 322; 23: 713
aequaliramosa 17: 317, 319

- angustifolia 17: 322
diversiramea 17: 317, 319;
 17: t320
 ferruginea 23: 480
 gonzaleoides 17: 317, 321
 guianensis 17: 316, 317,
 319, 322
 subsp guianensis 17: 318
 var glabriflora 17: 317,
 318
 var guianensis 17: 318
 var leiophylla 17: 318
 subsp pubiflora 17: 317,
 318
 leiantha 17: 318
 oligosperma 17: 316, 321
 palustris 17: 321
 panamensis 17: 322
 parviflora 17: 317, 321
 procumbens 17: 317, 321
 Billardiera
 paniculata 17: 367
 Borreria 23: 227, 782, 805,
 825
 alata 23: 806, 810, 811
 anderssonii 23: 815
 ?aralioides 23: 784, 785
 aristeguietaeana 23: 807,
 817
 atourensis 23: 831
 bartlingiana 23: 809
bolivarensis 23: 806, 819
 capitata 23: 807, 819,
 820, 821, 822, 823,
 825, 831
 var capitata 23: 831
 f capitata 23: 820,
 823
 f ferruginea 23: 820,
 822, 823
 f glabra 23: 820, 823,
 825
 var suaveolens 23: 819,
 820, 825, 827, 831
 var tenella 23: 806, 807,
 823, 825, 826, 827,
 828, 831
 capitellata 23: 818
cataractarum 23: 807, 813
confertifolia 23: 806, 828
 densiflora 23: 806, 813, 814
 ferruginea 23: 822
 fockeana 23: 809
 hebecarpa 23: 818
 herbert-smithii 23: 818
 hispida 23: 805, 811
 var glabrescens 23: 811
 var hispida 23: 811
intricata 23: 806, 828;
 23: t829
 kappleriana 23: 822
 laevis 23: 782, 806, 815,
 818, 819
 var edentata 23: 818
 var laevis 23: 818
 latifolia 23: 806, 807, 808,
 809, 810, 811
 var fockeana 23: 809
 var latifolia
 f fockeana 23: 807, 809,
 810
 f latifolia 23: 807, 810
 f minor 23: 807, 810
 f scabrida 23: 807, 810
 var δ minor 23: 810
 var δ scabrida 23: 810
 var sideritis 23: 807, 810
 var ρ sideritis 23: 810
 macrocephala 23: 806, 831
 nectarifera 23: 822
 ocimoides 23: 781, 806, 815,
 817
 var bisepala 23: 816
 var minima 23: 815
 f bisepala 23: 816
 f tenuis 23: 815
oligodonta 23: 806, 826,
 828, 831
 parviflora 23: 815
 perrottetii 23: 807
 poaya 23: 811
 podocephala 23: 830
 prostrata 23: 815
 pygmaea 23: 805, 811
 var pygmaea 23: 811, 812
 var robusta 23: 811, 812
 ramisparsa 23: 815
 repens 23: 815
 scabiosoides 23: 807, 814,
 815
 var anderssonii 23: 806,
 814, 815
 var glabrescens 23: 814,
 815

- var scabiosoides 23: 814
 scabrida 23: 810
 spinosa 23: 813, 814
 splitgerberi 23: 809
 suaveolens auct. 23: 823, 826
 suaveolens G. F. W. Mey 23:
 823, 825, 826, 827
 f rigidior 23: 826, 827
 tenella 23: 823, 824, 825
 var platyphylla 23: 820
 var suaveolens 23: 825
 tetraptera 23: 809
 trichantha 23: 818
 umbellata 23: 784, 785
 verticillata 23: 805, 806,
 827, 830, 831
wurdackii 23: 805, 812
 Bouvardia 12: 232
 Brignolia
 acuminata 17: 294
 pubigera 17: 294
 Bruinsmannia
 isertioides 17: 294
 Buchia 10: 234
 plantaginea 10: 232
 Buena 23: 295
 latifolia 23: 295, 296,
 297
 triflora 23: 295
 Calderonia
 klugei 23: 302
 salvadorensis 23: 307
 Callicocca 23: 406
 alba 17: 425; 23: 638
 guianensis 23: 675
 purpurea 23: 638
 tomentosa 23: 678
 Calycophyllum 10: 186; 23:
 227, 305
 acreatum 10: 186, 188
 intonsum 10: 186, 188,
 190; 10: t187
 merumense 23: 228
 obovatum 10: 186
 spectabile 10: 186, 188,
 190
 venezuelense 10: 186,
 189, 190
 Capirona 10: 190; 23: 305
 decorticans 10: 190, 192
 erythroxyton 10: 190
 huberiana 10: 190
 leiophloea 10: 190
 surinamensis 10: 190
 wurdackii 10: 190; 10: t191
 Carapichea 23: 406
 aubletii 17: 425; 23: 675,
 676
 guianensis 17: 425, 426; 23:
 675, 676
 guyanensis 17: 426
 kappleri 23: 674, 675
 patrisii 23: 604
 Carinta 23: 389
 repens (L.) Brem. 23: 395
 repens (L.) Smith & Downs 23:
 395
 var americana 23: 395
 Casasia 23: 346
 Cascarella
 lambertiana 23: 272, 274
 roraimae 23: 262
 schomburgkii 23: 274
 Cassupa
 alba 17: 298
 juruana 17: 298
 verrucosa 17: 293
 Cephaelis auct. 23: 484
 Cephaelis Sw. 10: 278; 17: 425,
 426, 428; 23: 227, 406, 407,
 484, 545, 580, 585, 588, 593,
 594, 597, 599, 603, 613, 614,
 630, 643, 645, 654, 663, 668,
 672, 675, 678, 692, 701
 sect Cephaelis 17: 426
 subsect Cephaelideae 17:
 426
 series Axillares 23: 692
 series Bracteocardiae 23:
 678
 series Eucephaelidae 23:
 668
 series Geophilae 23: 637
 aetantha 23: 665
 alba 17: 425; 23: 399, 638
 altsonii 17: 426, 430; 23: 555
 amoena 23: 684
 aneurophylla 23: 546
 anisopoda 23: 692
 axillaris 17: 425; 23: 692,
 694, 698, 700, 711, 712,
 715
 barcellana 23: 642, 680
 blepharophora 23: 693

- blepharophylla 23: 649,
 650
 bolivarensis 23: 651
 botryocephala 23: 692
 bracteocardia 23: 689,
 690
 callithrix 23: 640
 colorata 23: 684
 cornuta 23: 546
 crocea 23: 738
 cuneata 23: 546
 cymosa 23: 634
 dichotoma Rudge 23: 600,
 604, 606
 dichotoma Willd. ex R. & S.
 23: 600, 604, 606
 domingensis 23: 700
 duckei 23: 664
 ernesti 17: 426; 23: 659
 fanshawei 23: 664
 faramea 23: 674
 glabrescens 23: 687
 glomerulata 23: 670
 guianensis (Aubl.) Brem.
 17: 425, 426; 23: 675,
 676
 guianensis (Aubl.) Standl.
 17: 425, 426; 23: 675, 676
 hemicephaelis 17: 426;
 17: t427; 23: 593
 hirsuta 23: 678
 hirta 23: 643
 hoffmannseggiana 23: 604,
 606
 humboldtiana 23: 612
 var ornata 23: 612
 involucrata 23: 675, 676
 jenmanii 17: 426, 428,
 431; 23: 661, 662
 justiciifolia 23: 631, 632,
 633
 kaieteurensis 17: 428,
 23: 660
 kappleri 23: 674, 675
 macrocarpa 23: 658
 medusula 17: 428
 microcephala H. & B. ex
 R. & S. 17: 434; 23:
 604
 microcephala Miq. 17: 434;
 23: 604, 606, 607, 655
 microcephala M. Arg. 23: 655
 muscosa 23: 668, 671, 672
 nivea 17: 430; 23: 556
 oblonga 23: 673, 674
 paraënsis 23: 638
 peduncularis 23: 546
 peruviana 23: 667
 phaneroneura 23: 663, 667,
 668
 polycephala 23: 585
 potaroensis 23: 662
 prunifolia 17: 434; 23: 655
 psychotriaefolia 23: 478
 pubescens 23: 689, 690
 purpurea 23: 638
 reniformis 23: 395, 397, 398
 rosea 23: 687
 rubra 23: 604
 ruelliaefolia 23: 691
 salicifolia 23: 610
 sandwithiana 17: 428,
 t429, 430; 27: 555
 sessiliflora 17: 343
 sororiella 23: 490, 492, 677
 sphaerocephala 23: 650
 stipulosa 23: 624
 suaveolens 23: 546
 surinamensis 23: 638, 639,
 640
 swartzii 23: 671
 sylvatica 23: 690
 tatei 17: 426; 23: 596
 tepuiensis 17: 430; 23: 661
 thibaudiaefolia 12: 280, 281
 tinctoria 23: 693
 tomentosa 23: 678, 684
 tontaneoides Standl. 23: 640
 tontaneoides (Britton &
 Standl.) Will. & Chees. 23:
 640
 trichocephala 23: 648, 649
 trichophoroides 23: 642
 umbriana 23: 637
 violacea (Aubl.) Sw. 23: 668,
 669, 670, 671
 violacea Willd. 23: 671
 violaeifolia 23: 390, 391,
 392
Cephalodendron 23: 227, 228,
 230
 globosum 23: 228, t229
 Ceriscus 17: 334

- Chalepophyllum 10: 192, 195,
 196, 221, 222, 223, 229;
 17: 235
coriaceum 10: 221, 222, 223,
 226, 227
 guianense 10: 193, 221, 222
 var cuneatum 10: 193
 var guianense 10: 192,
 193
 guyanense 10: 192, 221
 latifolium 10: 221, 222,
228
longilobum 10: 193, t194
 speciosum 10: 221, 222, 223,
 225, 226, 227
 tatei 10: 221, 222, 227,
 228
 Chasalia 23: 408
 Chimarrhis 12: 178, 181, 185,
 186, 192
 barbata 12: 178, 179, 180,
 181
bathysoides 12: 179, 181,
 t182
brevipes 12: 178, 179
 cymosa 12: 178, 179, 180,
 184
 subsp genuina 12: 184
 subsp jamaicensis 12: 184
 subsp microcarpa 12: 184
cubensis 12: 179, 184
 decurrens 12: 185
 (?) dioica 12: 185
 duckei 12: 180
 ferruginea 12: 185
 glabriflora 12: 179, 181
 goudotii 12: 185; 23: 307
 hookeri 12: 179, 180, 181
jamaicensis 12: 179, 184
 longifolia 23: 305
 longistipulata 12: 183
 microcarpa 12: 179, 183,
 185
 var microcarpa 12: 183,
 184, 185
 var speciosa 12: 183
 paraensis 12: 185; 23: 307
 parviflora 12: 179, 183
 pisoniaeformis 12: 185,
 23: 306
 pittieri 12: 185
 turbinata 12: 179, 180,
 181, 183, 192
 williamsii 12: 179, 180, 181
 venezuelensis 12: 185
 Chiococca 23: 227, 373
 alba 23: 373, 379, 380
 subsp alba 23: 380, 381,
 382, 383
 subsp parvifolia 23: 380,
 381, 382, 383, 384
 var micrantha 23: 380,
 382, 383, 384
 f micrantha 23: 383,
 384
 f pilosa 23: 380, 383,
 384
 var parvifolia 23: 383
 var alba 23: 379
 anguifuga 23: 379
~~pubescens~~ 23: 377, 380
 trinitensis 23: 377, 379
ayantepuiensis 23: 373, 374
 brachiata 23: 380, 381
 caracasana 23: 379
 cordata 23: 377
 erubescens 23: 375, 376, 380
 lucens 373, 374
 micrantha 23: 382
multipedunculata 23: 373
 naiguatensis 23: 373, 374,
 375, 376, 380
 nitida 23: 373, 375, 376,
 380
 var amazonica 23: 377
 f amazonica 23: 375
 f cordata 23: 375, 377
 var chimantensis 23: 375,
 376, 377
 var nitida 23: 375, 376,
 377
 parvifolia 23: 381
 pubescens 23: 373, 375, 377,
 t378, 379, 380
 racemosa H.B.K. 23: 379
 var ~~α~~H.B.K. 23: 380
 var ~~β~~H.B.K. 23: 377, 379
 racemosa L. 23: 380
~~γ~~longifolia 23: 379
 racemosa var Sw. 23: 381
 scandens sarmentis tenuissi-
 mis et fere indivisis 23:
381
 Chiococceae 23: 227, 373

- Chomelia* Jacq. 17: 333, 334,
 337, 338, 340; 23: 227
albicaulis 17: 340
angustifolia 17: 334, 335,
 336
anisomeris 23: 338
apodantha 17: 340
bella 17: 340
catharine 17: 340
caurensis 17: 334, 335,
 336
ecuadorensis 17: 340
glabriuscula 23: 372
grandifolia 23: 371, 372
juvensis 17: 340
klugii 17: 340
longicaudata 17: 338
longiflora 17: 340
malaneoides 17: 334, 339
modesta 17: 340
monachinoi 17: 334, 336
monantha 17: 340
multiflora 17: 335, 336
obtusa
 var pubescens 17: 341
 f grandifolia 17: 341
 f parvifolia 17: 341
paniculata 17: 341
peruviana 17: 341
polyantha 17: 334, 335
protracta 17: 341
purpusii 23: 337
randioides 17: 341
rauwolfioides 17: 341
schomburgkii 17: 334, 339
spinosa 17: 334, 337, 338
splitgerberi 17: 334, 338
 339
tenuiflora 17: 333, 334,
 337
unguis-cati 17: 339
venezuelensis 17: 334, 336
volubilis 17: 334, 340
- Chomelia* L. 17: 334
- Chondrococcus 23: 227, 403
laevis 23: 404, 405
- Chytropsia* 17: 396, 397; 23:
406, 484, 485
astrellantha 17: 398; 23:
 484, 485
guianensis 17: 398; 23: 485,
 487
- Cinchona* 23: 230, 232
bergeniana 23: 258
brasiliensis 23: 356
dissimiliflora 23: 283
firmula 23: 258
grandiflora 23: 295
lambertiana 23: 272
macrocnemia 12: 251
roraimae 23: 262
- Cinchoneae* 17: 230, 232; 23:
 227, 228, 230, 232, 233
- Coccocypsilum* 17: 301
- Coccocypselum* 17: 249, 299,
 300, 301, 303, 307; 23: 399
aureum 17: 299, 306, 307
 var aureum 17: 306, 307
 var capitatum 17: 249,
 306, 307
brevipetiolata 17: 300
brevipetiolatum 17: 304
canescens 17: 306
capitatum 17: 307
condalia 17: 299, 300, 302
discolor 17: 305
glabrifolium 17: 299, 300
glabrum 17: 299, 301
guianense auct. 17: 305
guianense (Aubl.) Sch. 17:
 302, 304; 23: 399
 var guianense 17: 299, 302,
 303, 305
 var patens 17: 300, 302,
 303, 305
- herbaceum 17: 299, 300, 301,
 302
hirsutum 17: 300, 303, 305,
 306
lanceolatum 17: 299, 303,
 304, 305, 306, 307
macropoda 23: 390
nummulariaefolium 17: 305
pleuropodium 23: 399
pseudotontanea 17: 299, 300,
 302
repens Br. 17: 301
repens H.B.K. 17: 301, 306
repens Sw. 17: 300, 301, 302
spicatum 23: 313, 314
tontanea 17: 299, 303, 304,
 305; 23: 399
trinitense 17: 299, 300
umbellatum 17: 305

- Coffea* 17: 354
calycina 17: 360; 23: 385
crassiloba 411
didymocarpa 23: 517
flavicans 17: 395
guianensis 17: 380
herbacea 17: 380
laurifolia H.B.K. 17: 423, 424
laurifolia Salisb. 17: 423
occidentalis 17: 384
sessilis 23: 715
spicata 23: 590, 591
 (?) *stipulacea* 17: 421
subsessilis 23: 713
tenuiflora 17: 357; 23: 386
truncata 17: 374
- Commianthus* 12: 227
concolor 12: 229
discolor 12: 244
pilosus 12: 232
schomburgkii 12: 240
speciosus 12: 243
- Compositae* 23: 655
- Condalia*
lanceolata 17: 306
repens 17: 300, 301, 302
- Condaminea*
utilis 12: 187
- Condamineae* 12: 178, 185
- Conosiphon* 23: 322
aureus 23: 322, 323
polycarpon 23: 324
striiflorus 23: 322
- Cordia*
poepigii 23: 370
- Cordia*
acuminata 12: 222, 225
latifolia 12: 225
myrciifolia 12: 226
surinamensis 17: 359;
 23: 386
triflora 12: 226
- Coryphothamnus* 12: 263, 264
ayantepuiensis 12: 264,
 t265
- Cosmibuena* 23: 227, 295
arborea 23: 295
grandiflora 23: 295
 var *grandiflora* 23: 295
 var *latifolia* 23: 295,
 296
latifolia 23: 295, 296
- obtusifolia* 23: 295, 296
 var *latifolia* 23: 296
quinqueflora 23: 295, 296
triflora 23: 295
- Coupoi*
aquatica 12: 210
brasiliensis 12: 209
martiniana 12: 209
micrantha 12: 205
- Coussarea* 17: 360, 396, 412;
 23: 227, 451, 489, 493
amapaensis 17: 362, 366
benensis 17: 365
bernardii 17: 361, 371
brevicaulis 17: 361, 364,
 365
capitata 17: 366
fanshawei 17: 361, 365
froelichia 17: 367
grandis 17: 360, 363; 23: 389
hallei 23: 387
hirticalyx 17: 362
 var *glabrior* 17: 360, 363
 var *hirticalyx* 17: 362,
 363
hyacinthiflora 17: 369
klugii 17: 361, 363
lasseri 17: 361, 366
leptoloba 17: 360, 362
 var *leptoloba* 17: 362
 var *mutisii* 17: 362
leptophragma 17: 361, 368, 370;
 23: 489, 495
longiflora 17: 361, 364, 365
 var *benensis* 17: 364, 365
 var *longiflora* 17: 364
mapourioides 17: 361, 367
martini 17: 367
micrococca 17: 361, 370
moritziana 17: 361, 370, 371
mutisii 17: 362
paniculata 17: 361, 367
pentamera 17: 370
pittieri 17: 361, 366
racemosa 17: 362, 369
revoluta 17: 361, 368
scalaris 17: 387, 388
schomburgkiana 17: 368
sprucei 17: 368
surinamensis 17: 362, 369
violacea 17: 360, 361, 362,
 368, 369

- Coussareae 17: 360; 23: 227, 387
 Coutarea 23: 227, 297, 298
 campanilla 23: 297, 298
 hexandra 23: 297, 298
 var campanilla 23: 297, 298, 299
 var hexandra 23: 297, 299
 f pubescens 23: 298, 299
 var pubescens 23: 298
 lindeniana 23: 297, 298
 pubescens 23: 298
 speciosa 23: 297, 298
 Creatantha
 peruviana 12: 298
 Cuatrecasaiodendron 17: 234, 255
 Cunninghamia
 sarmentosa 12: 257
 Cupea 17: 334
 Cupirana
 aubletiana 12: 210
 martiniana 12: 209
 Declieuxia 23: 227, 399
 alfredi 23: 402, 403
 brasiliensis 23: 399
 chiococoides 23: 401, 402, 403
 var guyanensis 23: 403
 var linearis 23: 402
 var mexicana 23: 402
 fruticosa 23: 399, 401
 var fruticosa 23: 401, 403
 var guyanensis 23: 401, 403
 var mexicana 23: 401, 402, 403
 herbacea 23: 399, 400
 mexicana 23: 402
 (?) psychotrioides 23: 517
 roraimensis 23: 619, 620, 621
 tenuiflora 23: 399, 401
Dendrosipanea 10: 195, 196, 229; 17: 235
 revoluta 10: 196, t197, 199
 spigelioides 10: 195, 196, 198, 199
 wurdackii 10: 196, 198, t200
 Deppea 23: 316, 322
 colombiana 23: 316, 317, 318, 322
 venezuelensis 23: 316, 317, 320, 322
 Dicrobotryum
 divaricatum 23: 361, 362
 Didymochlamys 17: 290
 connellii 17: 290, 291
 whitei 17: 290
 Diodia 23: 227, 788, 792
 apiculata 23: 788, 801, 802
 articulata 23: 794, 795, 797
 conferta 23: 801, 804
 domingensis 23: 803
 hyssopifolia 23: 788, 794, 798
 var articulata 23: 794, 795, 797
 var hyssopifolia 23: 794, 795, 797
 f hyssopifolia 23: 794, 795
 f psiloclada 23: 794, 795, 797
 var leiocarpa 23: 794, 795, 797
 var linearis 23: 795, 796, 797
 f glabriuscula 23: 794, 795, 796, 797
 f linearis 23: 794
 kuntzei 23: 788, 789
 linearis 23: 795
 multiflora 23: 789, 790
 muriculata 23: 793
 ocimifolia 23: 789, 791
 prostrata 23: 799
 β longiseta 23: 799
 pulchella 23: 801, 803
 pulchristipula 23: 789, 791
 radula 23: 792
 subsp radula 23: 793
 subsp venezuelensis 23: 789, 793
 rigida 23: 801, 802, 803
 var angustissima 23: 803
 var barbicoeca 23: 801, 803, 804
 var buchii 23: 801, 803, 804, 805
 var marcantha 23: 801, 803, 805

- roaguana 23: 790
 sarmentosa 23: 789, 791, 792
 setigera 23: 801, 802, 803, 804
 simplex 23: 789
 spicata 23: 789, 790
 surinamensis 23: 794, 795, 797
 teres 23: 788, 798
 subsp angustata 23: 799
 var angustata 23: 799
 f angustata 23: 798, 799
 f latior 23: 798, 799
 subsp prostrata 23: 799
 var prostrata
 f latifolia 23: 798, 800
 f leiocarpa 23: 798, 800
 f prostrata 23: 798, 800
 subsp teres 23: 798
 virginica 23: 788, 790
- Dioicodendron
 dioicum 12: 185
- Duggena
 grisea 23: 313
 hirsuta 23: 313, 314
 incanescens 23: 313, 314
- Duidania 17: 230, 232; 23: 232, 233
montana 17: 230, t231
- Duroia 12: 198, 211; 23: 227, 346, 356
amapana 12: 198, 209
 aquatica 12: 198, 210; 23: 343
bolivarensis 12: 200, 206
 duckei 12: 199, 201; 23: 345
 eriopila 12: 198, 199, 201, 204, 210, 218, 219
 var brevidentata 12: 201, 203
 var eriopila 12: 203
 f eriopila 12: 203
 f glabra 12: 201, 203
 var tafelbergensis 12: 203
 fusifera 12: 199, 204, 205, 207, 218
- genipoides 12: 200, 205, 207, 218
gransabanensis 12: 199, 205
 hirsuta 12: 198, 200, 201, 218
kotchubaeoides 12: 198, 201, t202; 23: 356
 longiflora 12: 200, 209
 longifolia 12: 210, 211, 218
 macrophylla 12: 198, 209; 23: 343
maguirei 23: 343, t344
 var macrocarpa 23: 345
 var maguirei 23: 345
 var patentinervia 23: 345
 martiniana 12: 198, 209
merumensis 12: 200, 207
nitida 12: 200, 208
 oocarpa 12: 211, 218
 palustris 12: 199, 204
 paraensis 12: 200, 207
paruensis 12: 200, 206; 23: 356
 petiolaris 12: 199, 204, 218; 23: 356
 plicata 12: 198, 210
prancei 23: 345
retrorsipila 12: 200, 208
 saccifera 12: 198, 210, 218
 sprucei 12: 199, 200, 201, 205, 207
 steinbachii 12: 211
 stenophylla 12: 211; 23: 356
strigosa 12: 199, 204
 surinamensis 12: 203
 trichocarpa 12: 211
 triflora 12: 199, 204; 23: 345, 356
 velutina 12: 198, 209, 219
- Einsteinia
 sericantha 10: 214
 speciosa 10: 214
- Elaeagia 12: 185, 186, 192; 23: 306
 alterniramosa 12: 187
 asperula 12: 186, 191
barbata 12: 186, 191
 brasiliensis 12: 180, 192
 cuatrecasasii 12: 186, 191
 cubensis 12: 187, 189
 ecuadorensis 12: 186, 191

- glomerifera 12: 192
 grandis 12: 192
 karstenii 12: 187, 188
 f hispidula 12: 188, 190
 f karstenii 12: 188
 laxiflora 12: 186, 191
 magniflora 12: 186, 192
 maguirei 12: 187, 189
 var maguirei 12: 189,
 190
 var pubens 12: 189, 190
 mariae 12: 187, 188
microcarpa 12: 187, 189
 mollis 12: 192
 multinervia 12: 187, 190
 obovata 12: 187, 190
 subspicata 12: 192
 utilis 12: 186, 187, 188
- Emmeorrhiza 23: 227, 784
 brasiliensis 23: 784
 pohliana 23: 784, 785
 umbellata 23: 784, 785,
 786, 787
 subsp septentrionalis 23:
 786, 787
 var pubens 23: 785,
 787, 788
 var septentrionales 23:
 785, 787, 788
 subsp umbellata 23: 785,
 786, 787
 var tomentosa 23: 784,
 786, 788
 var umbellata 23: 784,
 785
 f tomentosa 23: 786
- Endlichera 23: 784
 brasiliensis 23: 784, 785
 umbellata 23: 784, 785
- Endlicheria 23: 784
- Ericaceae 23: 248
- Evea Aubl. 23: 406
- Evea auct. 23: 406
 axillaris 23: 694
 guianensis 17: 379; 23:
 406
 lucentifolia 23: 610
 tontaneoides 23: 640
- Exandra
 exoclads 23: 307
- Faramea 17: 371; 23: 227,
 629
- acuminatissima 17: 373, 390
 amazonica 17: 390, 392
 angustifolia auct. 17: 392
 angustifolia Spruce ex
 Benth. 17: 373, 390, 392
 anisocalyx 17: 372, 374,
 376, 377
 var anisocalyx 17: 374,
 375
 var pulchella 17: 375, 376
 var schwackei 17: 375, 376
 f dentata 17: 375
 f schwackei 17: 375, 376
- aristata 17: 380
 axillaris 17: 380
 axilliflora 17: 380
 benensis 17: 390, 394
 breviflora 17: 386
brevipes 17: 372, 381
 capillipes 17: 372, 382,
 386, 387
cardonae 17: 371, 373, 377,
 383
 coarinensis 17: 388
 corymbosa 17: 371, 373,
 374, 376, 377, 382
costata 17: 372, 389
 crassifolia 17: 372, 387
 egregia 17: 372, 380
fanshawei 17: 371, 372, 380
 flavicans 17: 374, 395
 garciae 17: 372, 382
 guianensis 17: 372, 379
 herbacea 17: 380
irwini 17: 372, 379, 380
 jasmिनoides 17: 395
 killipii 17: 396
larensis 17: 373, 382
 lehmannii 17: 387, 388
 leptoloba 17: 362
 longifolia 17: 388, 389
petiolaris 17: 388, 389
maguirei 17: 372, 396
 martini 17: 367
 maynensis auct. 17: 392
 maynensis Spruce ex Benth. &
 Hook. 17: 390, 392, 393,
 394
 moritziana 17: 370
 multiflora 17: 373, 390,
 391, 392, 394
 var amazonica 17: 390,

- 392, 394
 var benensis 17: 390,
 394
 var epedunculata 17:
 390, 392, 394
 var maynensis 17: 390,
 393
 var multiflora 17: 390,
 391, 392, 394
 var salicifolia 17: 391,
 394
neblinae 17: 374, 395
occidentalis 17: 373, 383,
 384, 385
 subsp lonchocalyx 17:
 384, 385
 subsp occidentalis
 var brachycalyx 17:
 384, 385
 var meridionalis 17:
 384
 var occidentalis 17:
 384, 385
orinocensis 17: 373, 386
pachydictyon 17: 387
panurensis 23: 389
parvibractea 17: 371, 376
pendula 17: 374
planitiarium 17: 388
polytriadophora 17: 373,
 377
pseudospathacea 17: 372,
 383
pulchella 17: 374, 375
purpurea 17: 389
quadricostata 17: 372,
 381, 382, 387
salicifolia auct. 17: 392
salicifolia Presl. 17:
 390, 392, 394
schomburgkiana 17: 368
schwackei 17: 374, 375
sessiliflora 17: 371,
 372, 378, 389
 var pedunculata 17: 378
 var sessiliflora 17: 378
sessilifolia 17: 388
silvae 23: t388, 389
spathacea 17: 372, 382, 383
stenopetala 17: 373, 385,
 386
surinamensis 17: 369
torquata 17: 372, 387, 388
truncata A. DC. 17: 374
truncata Müll.-Arg. 17: 374
umbelliflora 17: 372, 383
Ferdinandea 23: 275
Ferdinandusa 23: 227, 275,
 276, 278, 285
 sect Gomphosia 23: 285
 sect Pattalosia 23: 275,
 284, 285
chlorantha 23: 283
cordata 23: 276, 284
dissimiliflora 23: 283
duckei 23: 276, 284
elliptica 23: 275
goudotiana 23: 276, 279,
 280, 281, 283
 var eciliata 23: 280, 281
 var goudotiana 23: 280
 var psilocarpa 23: 280,
 281
guainiae 23: 276
hirsuta 23: 276, 284
lanceolata 23: 276, 277
neblinensis 23: 276, t282,
 283
paraensis 23: 276, 277, 279
 var palustris 23: 279
pubescens 23: 285
rudgeoides sensu Brem. 23:
279
rudgeoides (Benth.) Wedd.
 23: 276, 278, 279, 280,
 284
scandens 23: 276, 284
schultesii 23: 276, 279
speciosa 23: 275, 284, 285
 f pubescens 23: 285
sprucei 23: 276, 277
uaupensis 23: 276, 283
Ferreira 23: 285
Flexanthera
fragrans 23: 308
subcordata 23: 306
Froelichia
paniculata 17: 367
Fuchsia 10: 259
involutrata 10: 270
Gamotopea 17: 425; 23: 406,
 484, 637, 638, 639
alba 17: 425; 23: 638, 639

- callithrix* 17: 425; 23:
 639, 640
purpurea 17: 425; 23: 638,
 639
surinamensis 17: 425; 23:
 638
 Gardenia
 armata 23: 330
 genipa 23: 346
 longiflora 23: 326
 randia
 var *mitis* 23: 340
 spinosa 23: 332
 Gardenieae 12: 192; 17: 322;
 23: 227, 322
Genipa 23: 227, 346, 349
 americana 23: 346, t347,
 349, 350, 352, 355
 var *americana* 23: 346,
 350, 352
 var *caruto* 23: 350,
 352, 353, 355
 f *caruto* 23: 346,
 352, 353
 f *grandifolia* 23: 350,
 352
 f *jorgensenii* 23: 346,
 353
 f *parvifolia* 23: 350,
 352, 353
 barbata 23: 348, 350
 brasiliiana 23: 323, 346
 caruto 23: 346, 350
 clusiifolia 23: 346
 codonocalyx 23: 346
 edulis 12: 223; 23: 346
 excelsa 23: 348, 350
 grandiflora 23: 346
 humilis 23: 348
 maxonii 23: 306, 346
 merianae 12: 203; 23: 346
 oblongifolia 23: 346, 349,
 350, 352
 pubescens 23: 350, 352
 spruceana 23: 346, t347,
 353, 355
 striiflora 23: 322, 323,
 346
 venosa 23: 346
 williamsii 23: 346
Genipat 23: 349
Geocardia 23: 389
- herbacea* 23: 395
 tenuis 23: 394
Geophila Bergeret 23: 389
Geophila D. Don 23: 227, 389,
 390, 398, 399, 446
 cordata 23: 395, 397
 cordifolia 23: 390, 392,
 393, 394
 var *cordifolia* 23: 392,
 393
 var *peruviana* 23: 392,
 393
 gracilis 23: 390, 393, 394
 herbacea 23: 389, 391, 392,
 395
 var *violaeifolia* 23: 390
 macropoda 23: 390, 391, 392,
 397
 orbicularis 23: 390, 397
 var *neblinae* 23: 397, 398
 var *orbicularis* 23: 397,
 398
 paraensis 23: 399, 638
 picta 17: 425; 23: 638
 pleuropoda 23: 399
 prancei 23: 390, 393
 reniformis (H.B.K.) Cham. &
 Schl. 23: 391, 397
 reniformis D. Don 23: 395,
 397, 399
 repens 23: 389, 390, 391,
 392, 394, 395, 397, 398
 tenuis 23: 390, 393, 394,
 395
 trichogyne 23: 392
 violacea 23: 399
 violaeifolia 23: 390, 391
 Gerontostoma
 macrophyllum 12: 188
 Gesneriaceae 23: 232
Gleasonia 17: 234, 235, 236
 cururuensis 17: 240
 duidana 17: 235, 236, 237,
 239, 240
 var *duidana* 17: 236, 237,
 t238, 239, 240
 var *latifolia* 17: 236,
 237, 239
 var *oblanceolata* 17: 236,
 239, 240
 macrocalyx 17: 235, 236
 uaupensis 17: 236, 239, 240

- Gomphosia 23: 275, 278
 goudotiana 23: 283
 laxiflora 23: 278
 longiflora 23: 278
 var densiflora 23: 278
 var laxiflora 23: 278
 Gonzalagunia 23: 227, 310
 asperula 23: 313
 ciliata 23: 310, 313
 cornifolia 23: 310, 311,
 312
 dependens 23: 310, 311
 dicocca 23: 311, 314
 subsp dicocca 23: 315
 var dicocca 23: 314,
 315
 var guianensis 23: 314,
 315
 subsp venezuelensis 23: 315
 hirsuta A. DC. 23: 313
 hirsuta K. Schum. 23: 313
 var dicocca 23: 314
 panamensis 23: 311, 312
 var cornifolia 23: 311
 spicata 23: 311, 313, 314
 surinamensis 23: 310, 312,
 313
 Gonzalea
 cornifolia 23: 311
 grisea 23: 313, 314
 incanescens 23: 313
 Grumilea 23: 406, 407, 445
 Guettarda 23: 227, 357, 370
 acreana 23: 358, 359, 360
 albicaulis 17: 340
 ambigua 23: 365
 aromatica 23: 357, 366, 367
 bernardii 23: 358, 367
 caracasana 23: 364
 coccinea 17: 296
 crassifolia 23: 371
 crispiflora 23: 358, 367,
 368, 369
 subsp crispiflora 23:
 367, 368, 369
 var crispiflora 23:
 368, 369
 var venezuelensis 23:
 367, 368, 369, 370
 subsp discolor 23: 368,
 369
 var discolor 23: 367, 369
 var sabiceoides 23: 358,
 367, 368, 369
 subsp venezuelensis 23: 358
 var dependens 23: 370
 discolor Rusby 23: 367, 368
 discolor apud Standl. 23: 367
 divaricata 23: 358, 360, 361,
 362, 363
 eliadis 23: 363, 364
 elliptica apud Standl. 23: 361
 elliptica Sw. 23: 358, 361,
 362, 363
 fanshawei 23: 358, 359
 frondosa 23: 357, 365
 gehrigeri 23: 371
 grandiflora 23: 366, 367
 hirsuta 23: 358, 370, 371
 macrantha 23: 358, 366
 malacophylla 23: 359, 363,
 364
 nitida 366, 367
 odorata auct. 23: 361
 odorata (Jacq.) Lam. 23: 358,
 360, 361, 362, 363
 paniculata 17: 341
 parviflora apud Standl. 23:
 361
 parviflora Vahl. 23: 360,
 361, 362, 363
 parvifolia 23: 360, 363
 pittieri 23: 365, 366
 protracta 17: 341
 reticulata 23: 371
 roupalaeifolia 23: 359, 364,
 366
 rugosa 23: 365
 rusbyi Standl. 23: 361, 363
 rusbyi apud Standl. 23: 361
 sabiceoides 23: 368
 scabra 23: 357, 365
 speciosa 23: 357
 spruceana 23: 357, 366
 steyermarkii 23: 357, 369,
 370
 f latior 23: 369
 f pilosior 23: 369, 370
 f steyermarkii 23: 369, 370
 tobagensis 23: 359, 365
 var pittieri 23: 365
 var tobagensis 23: 365
 tournefortiopsis 23: 358,

- 370, 371
 var crassifolia 23: 371
 var tournefortiopsis 23:
 370, 371
 tovaensis 23: 367
 ulei 23: 358, 359, 360
 xylostoides 23: 361, 362
 Guettardeae 12: 244; 17: 333;
 23: 227, 356
 Hamelieae 17: 316
 Hedyotideae 23: 227, 309
 Hedyotis
 lancifolia 23: 309
 Hemidiodia 23: 788, 792
 ocimifolia 23: 791, 809
 Henriquezia 10: 199, 201,
 202, 251; 17: 236; 23: 233
 jenmani 10: 199, 201
 longisepala 10: 201, 209
 macrophylla 10: 206, 207
 nitida 10: 201, 204, 205,
 207, 208
 var macrophylla 10: 205,
 206
 var nitida 10: t200, 205,
 206, 207
 var oblonga 10: 205, 207
 var subcunneata 10: 205,
 207
 oblonga 10: 207, 208
 obovata 10: 202, 203, 206
 verticillata 10: 201, 202,
 203, 204, 206
 var apiculata 10: 203,
 204
 var verticillata 10:
 t200, 203, 204
 Henriqueziaceae 10: 251
 Hillia 10: 209; 23: 227, 285,
 286
 boliviana 23: 290, 292
 brasiliensis 23: 290, 292
 costanensis 23: t282, 286,
 293, 294
 foldatsii 23: 286, 290
 goudotii 10: 212
 hexandra
 var speciosa 23: 299
 illustris 10: 209; 23:
 286, 288
 irwinii 23: 286, 287, 288
 killippii 10: 211; 23:
 293, 294
 longiflora 23: 291, 294
 macromeris 10: 211; 23: 293
 maguirei 10: 209, t210; 23:
 286, 291
 microcarpa 23: 286, 292, 293
 parasitica 10: 209; 23: 285,
 286, 290, 291, 292, 294
 subsp nobilis 23: 291,
 292, 294
 subsp parasitica 23: 291
 psammophila 10: 211, t211;
 23: 286, 288, 291
 saldanhaei 10: 212
 schultesii 23: 286
 trinitensis 23: 288, 289
 tubaeflora 23: 288
 tubiflora 10: 209; 23: 288,
 289, 290
 ulei 10: 212; 23: 286, 287,
 288
 viridiflora 10: 212; 23: 286,
 287, 288
 weberbaueri 23: 294
 wurdackii 23: 286, 294
 Hinsia 17: 232; 23: 232, 233
 Hoffmannia
 striata 23: 563
 Houstonia
 fruticosa 23: 401, 402
 Ibetralia 23: 356
 surinamensis 23: 355, 356
 Ipecacunha 23: 406
 Isertia 17: 291
 alba Sprague 17: 298
 alba (Sch. & Kra.) Standl.
 17: 298
 coccinea 17: 291, 296
 var hypoleuca 17: 292
 var pentamera 17: 296
 flava 17: 296
 haenkeana 17: 292, 297
 var haenkeana 17: 297,
 298
 var mirandensis 17: 297,
 298
 hypoleuca 17: 291, 292, 293
 juruana 17: 298
 longifolia 17: 291, 293
 parviflora 17: 291, 294
 var hirta 17: 294, 295
 var parviflora 17: 294, 295

- pterantha 17: 291, 296
 rosea 17: 291, 293, 296
 spiciformis 17: 291, 296
 spraguei 17: 298
 verrucosa 17: 291, 293
wilhelminensis 17: 292, 296
 Ixora 17: 341, 380, 422; 23: 227
acuminatissima 17: 342, 345, t346, 347, 349
 agostiniana 17: 342, 351, 352
aluminicola 17: 342, 343; 23: 386
amapaënsis 23: 386
 angulata 17: 359
 coccinea 17: 341, 343
 cowanii 17: 342, 344
 davisii 17: 342, 343, 344; 23: 386
 duidae 17: 353, 422
 ferrea 17: 342, 352; 23: 387
 funckii 17: 341, 352
 gaillardii 17: 345, 347, 349
 gleasonii 17: 350
 graciliflora 17: 342, 343, 350, 351
intropilosa 17: 341, 352
 laxiflora 17: 350
 longifolia 17: 345
 macrophylla Bartl. ex DC. 17: 350
 macrophylla R. Br. 17: 350
 mazarunensis 17: 343
 occidentalis 17: 384
 orinocensis 17: 347, 349
 panurensis 17: 342, 349
piresii 17: 342, 348, 349
 podocarpa 17: 353, 354; 23: 305, 306
potaroensis 17: 342, 348
sandwithiana 17: 342, 344, 345
 schomburgkiana 17: 342, 350
 sessiliflora Baill. 17: 343
 sessiliflora Kurz 17: 343
 sessilifolia 17: 388
 surinamensis 17: 350, 351
 ulei 17: 342, 343, 349, 350
 versteegii 17: 342, 344
 xantholoba 17: 350, 351
yavitensis 23: 386, 387
 Ixoreae 17: 341; 23: 227, 386
 Janipaba 23: 349
 Jenipapo 23: 349
 Joosia 23: 233
 Junipappeiyuva 23: 349
 Justicia
 hirsuta 23: 313
 Knoxia
 brasiliensis 23: 399, 400
 Kotchubaea 10: 212, 213, 220; 12: 201, 211; 17: 333
duckeii 10: 213, 214, 216
 insignis 10: 213, 220
longiloba 10: 213, 218, t219
micrantha 10: 214, 215
 montana 10: 213, 214, 217
neblinensis 10: t210, 213, 214, 216, 217
 palustris 10: 213, 214, 215, 216
 semisericea 10: 213, 214, 217, 218
 sericantha 10: 213, 214, 217
 speciosa 10: 214
urophylla 10: 213, 218; 12: 219
 Ladenbergia 23: 227, 230, 232, 269
 amazonensis 23: 269, 274, 275
 lambertiana 23: 269, 272, 274
 lucens 23: 269, 270
 macrocnemia 23: 251
 magnifolia 23: 275
 paraensis 23: 269, 270
puberula 23: 269, 270, t271
 roraimae 23: 262
 schomburgkii 23: 272
 tenuiflora 23: 267
venamoensis 23: 269, 271
 Laugleria
 dependens 23: 370
 hirsuta 23: 370
 odorata 23: 360
 Limnosipanea 17: 234, 282
 erythaeoides 17: 282, 283
 guaricensis 17: 283, 284
 kuntzei 17: 283, 284
 palustris 17: 282, 284
 schomburgkii 17: 282

- spruceana 17: 282, 283,
284
ternifolia 17: 282, 284
- Lonicera
alba 23: 380
- Loranthus
brasiliensis Desv. 23: 569
brasiliensis Spreng. 23:
569
guadalupensis 23: 569
peduncularis Jacq. 23: 569
peduncularis Spreng. 23:
569
portoricensis 23: 569
- Lygistum
spicatum 23: 313
- Macbrideinia 10: 221
- Machaonia 23: 227, 356
acuminata 23: 356
brasiliensis 23: 356
ottonis 23: 357
spinosa
var ottonis 23: 357
sulphurea 23: 357
- Maguireocharis 23: 227, 230
neblinae 23: 230, t231
- Maguireothamnus 10: 220,
221, 222, 223; 17: 234
speciosus 10: 220, 223,
t224
tatei 10: 223, 227, 228,
229
var latifolius 10: 227,
228
var tatei 10: 227, 228,
229
- Malanea 12: 192, 244, 248
angustifolia 12: 261
auyantepuiensis 12: 246,
256
bahiensis 12: 250
chimantensis 12: 247, 259
ciliolata 12: 247, 258,
259
cruzii 12: 247, 253
duckei 12: 245, 252, 253
eglerii 12: 246, 260
fendleri 12: 245, 247
gabrielensis 12: 246, 253,
254, 255
glaberescens 12: 261
glabra 12: 249
- glabrescens 12: 261, 262
gualquiniensis 12: 247, 253,
254, 256, 257
hirsuta 12: 244, 247
hypoleuca 12: 245, 251
macrophylla 12: 245, 248,
249, 250, 251, 252
var macrophylla 12: 248
f bahiensis 12: 248, 250
f cuneata 12: 248, 250
f macrophylla 12: 248,
249, 250
var megalantha 12: 248, 250
- martiana 12: 261
megalantha 12: 250
microphylla 12: 245, 262
obovata 12: 245, 261, 262,
263
panurensis 12: 246, 254
pariensis 12: 245, 248, t249
ptariensis 12: 247, 255, 256
roraimensis 12: 261, 262
sarmentosa 12: 244, 246,
257, 258, 259, 260
f sarmentosa 12: 257, 258
f sparsipilosa 12: 246,
257, 260
f tomentosa 12: 257, 258
- schomburgkii 12: 245, 246,
261
setulosa 12: 246, 260
sipapoensis 12: 246, 252
subtruncata 12: 246, 258
tafelbergensis 12: 245, 251
ueiensis 12: 246, 255
ursina 12: 245, 252
- Manettia 23: 227, 233, 235, 240
sect Lygistum 23: 235
alba 23: 235, 236, 240, 241,
249
badilloi 23: 236, 248
barbata 23: 241
var microcarpa 23: 236,
241, 249
bernardii 23: 236, 245
breteleri 23: 236, 244
calycosa 23: 237
var calycosa 23: 237, 238
var karsteniana 23: 236,
237, 238
var latifolia 12: 238
var scaberrima 23: 235,

- 237, 238
 coccinea 23: 238, 239, 240
 var coccinea 23: 236, 238
 var spraguei 23: 236, 238, 239, 240
 coccocypseloides 23: 236, 248
 var coccocypseloides 23: 248
 var glabior 23: 248
 holtonii 23: 238
 lindenii 23: 237, 242, 243
 f appendiculata 23: 243
 f lindenii 23: 243
 lygistum 23: 241
 var alba 23: 240
 var glabrata 23: 243
 var moritziana 23: 242
 marginata 23: 249
 meridensis 23: 236, 244, 245, 246
 microcarpa 23: 241
 mollis 23: 236, 248, 249
 moritziana 23: 236, 241, 242
paramorum 23: 236, 245
 reclinata 23: 235, 239, 240
 scaberrima 23: 238
 schumanniana 23: 237, 242, 243
sonderiana 23: 236, 246, 247
 spraguei 23: 238
tachirensis 23: 237, 246, 248
tamaensis 23: 237, 246, 247
 uniflora 23: 236, 239, 240
 Mapouria 23: 406, 407, 408, 444, 445, 446, 447, 448, 457, 458, 484, 485, 490, 558, 576, 580
 sect Eumapouria 23: 484, 490, 576, 580
 sect Rudgeales 17: 423
 series Axillares 23: 711
 series Genuinae 23: 574
 series Podocephalae 23: 484, 490
 alba 23: 466
 australis 23: 457
 biacuminata 23: 464, 466
 borjensis 23: 448
 chionantha 23: 458, 462, 463
 compaginata 23: 457
 cordata 23: 395, 397
 coussareoides 23: 496
 crassa 23: 457, 567
 cupularis 23: 452, 453
 fockeana 23: 468, 470
 guianensis 23: 444, 445, 457, 458, 459, 460, 461, 727, 728
 herbacea 23: 395, 397
 var orbicularis 23: 397, 398
 japurensis 23: 493
 latifolia 23: 473, 474, 475
 luschnathiana 23: 462
 mahuriensis 23: 452, 453
 micrantha 23: 482
 microdon 23: 446
 opaca 23: 458, 462, 463
 ornithophila 23: 464
 parasitica 23: 569
 podocephala 23: 490, 492, 677
 remota 23: 477
 δ angustifolia 23: 477
 γ longifolia 23: 477
 ρ ovata 23: 477
 sclerocalyx 17: 423
 var coriacea 17: 423
 var firma 17: 423
 var latifolia 17: 423
 spruceana 17: 359, 423; 23: 385
 subsessilis 23: 713
 γ angustifolia 23: 711, 712
 var genuina 23: 713
 α latifolia 23: 713
 tenuis 23: 394, 395
 trichogyne 23: 392, 393
 umbrosa 23: 448
 vasivenis 23: 574
 velhana 23: 457
 wonotobensis 23: 473
 Matthiola
 scabra 23: 365
 Mattuschkea
 galioides 10: 238, 239, 245

- hirsuta* 10: 248
hispidula 10: 241, 250
incana 10: 248
Merumea 23: 227, 232, 233
 coccocypseloides 23: 233,
 t234
 plicata 23: 235
Mitracarpium
 puberulum 23: 781, 815,
 817
 rude 23: 782
 scabrellum 23: 783
 villosum
 var *glabrescens* 23:
 779, 780
Mitracarpus 23: 227, 777,
 778, 817
 diffusus 23: 778, 781,
 817
 frigidus 23: 778, 779,
 780, 781
 var *andinus* 23: 778,
 779, 780, 781
 var *frigidus* 23: 778,
 779, 780, 781
 var *fruticosus* 23:
 778, 781
 var *fruticulosus* 23:
 781
 var *glaberrimus* 23:
 780
 var *glabrescens* 23:
 780
 var *orinocensis* 23:
 778, 780
 var *peruvianus* 23: 780
 var *portoricensis* 23:
 780
 fruticosus 23: 781
 glabrescens 23: 779
 hirtus 23: 781, 783
 microspermus 23: 778,
 783, 784
 parvulus 23: 778, 784
 portoricensis 23: 779,
 780
 rude 23: 782
 scaber 23: 777
 scabrellus 23: 778, 783,
 784
 villosus 23: 778, 781,
 782, 783, 817
Morinda 23: 227, 384, 385, 713
 aurantica 23: 385
 brachycalyx 23: 385
 calycina 23: 385
 debilis 23: 385
 guatemalensis 23: 385
 hoffmannioides 23: 385
 longiloba 23: 385
 muscosa 23: 671, 672
 odontocalyx 23: 385
 peduncularis 23: 385
 roioc 23: 384
 royoc 23: 385
 seibertii 23: 386
 sparsiflora 23: 385
 surinamensis 23: 386
 tenuiflora 23: 386
 var *leiophylla* 23: 386
 triphyllo 23: 386
 venezuelensis 23: 386
Morindeae 17: 354; 23: 227,
 384
Mussaenda
 formosa 23: 327, 328
 nitida 23: 330
 spinosa 23: 330, 331, 333
Mussaendeae 17: 290; 23: 227,
 310, 322
Naletonia 23: 406, 407, 484,
 622, 623
 violacea 23: 621, 623, 766
Nacibea
 alba 23: 240
 coccinea 23: 238
Neblinanthus 17: 234
Neblinathamnus 10: 229; 23: 227
 argyreus 10: 229, t230
 brasiliensis 23: t308, 309
 glabratus 10: 231; 23: 309
Neobertiera 17: 234, 289, 290
 gracilis 17: 269, 289, 290
Nontelia 23: 406, 484, 542,
 544, 545
 cataractarum 23: 728
 grandiflora 23: 743, 747
 longiflora 23: 744, 745, 746
 macrophylla 23: 725, 726,
 747
 macrothyrsa 23: 726
 officinalis 23: 603, 614,
 615, 616
 paniculata 23: 500

- pubescens 23: 534
 racemosa 23: 542, 544
 secundiflora 12: 232
 sprucei 23: 726
 violacea 23: 621
 wallisiana 23: 726
 Notopleura 23: 406, 407,
 484, 558
 tapajoensis 23: 566
 uliginosa 23: 558
 Oldenlandia 23: 227, 309
 corymbosa 23: 309
 herbacea auct. 23: 309,
 310
 herbacea L. 23: 309
 herbacea (L.) Roxb. 23:
 310
 lancifolia 23: 309, 310
 Oribasia
 racemosa 23: 542
 violacea 23: 621
 Pagamea 12: 263, 266, 270
 anisophylla 12: 272, 277
 ayantepuiensis 12: 264
 brevipedunculata 12: 271,
 283
 capitata 12: 271, 279,
 281, 283
 subsp capitata 12: 279,
 281
 subsp caudata 12: 279,
 280
 subsp conferta 12: 279,
 281
 f breviloba 12: 279,
 281
 f conferta 12: 281
 subsp thibaudiaefolia 12:
 279, 280, 281
 caudata 12: 280
 conferta 12: 281
 coriacea 12: 272, 273
 var acuta 12: 273
 var coriacea 12: 273
 var pubescens 12: 273
 diceris 12: t202, 271, 272,
 281
 duckei 12: 271, 278
 duidana 12: 271, 282
 garryoides 12: 267
 guianensis 12: t265, 270, 273,
 275, 276, 278, 279
 var guianensis 12: 278
 var macrocarpa 12: 278
 var parviflora 12: 278
 var pilosa 12: 276
 var typica 12: 278
 hirsuta 12: 271, 275
 macrophylla 12: 272, 278
 magniflora 12: 271, 285
 montana 12: 272, 273, 279,
 282, 283
 pauciflora 12: 271, 283, 285
 pilosa 12: 272, 276
 plicata 12: 272, 274
 var multinervia 12: 274
 var plicata 12: 274
 plicatiformis 12: 272, 274
 puberula 12: 272, 276
 reducta 12: 271, 283
 sessiliflora 12: 285
 spadicea 12: 285, 23: 674
 standleyana 12: 271, 282
 steyermarkii 12: 264, 266
 thyrsiflora 12: 272, 277
 uniflora 12: 271, 284
 velutina 12: 271, 275
Pagameopsis 12: 263, 267
 garryoides 12: 267
 maguirei 12: 267
 subsp maguirei 12: t265,
 268, t269, 270
 subsp neblinensis 12: 270
 var angustifolius 12:
 268, 270
 var neblinensis 12: 268,
 t269, 270
 Palicourea 23: 227, 457, 484,
 515, 532, 542, 596, 598, 662,
 664, 691, 717, 718, 737, 745,
 749, 760, 762, 777
 abbreviata 23: 756
 acetosoides 23: 723, 753, 754
 aculeifera 23: 748, 749
 albert-smithii 23: 721, 770
 amapaensis 23: 723, 746, 765,
 766
 anacardifolia 23: 756
 andaluciana 23: 765, 768
 angustifolia 23: 719, 770,
 771, 772
 var angustifolia 23: 771,
 772

- var glabricaulis 23: 771,
 772
 var querceticola 23: 771,
 772
apicata 23: 721, 766, 767
aschersonianoides 23: 719,
 723, 749, 750
aurantiaca 23: 738, 740
barbinervia 23: 727, 730
barraensis 23: 736
bostrychostachya 23: 723,
 753
buntingii 23: 720, 722,
 741, 742
 var buntingii 23: 742
 var glabrior 23: 742
caerulea 23: 585
calophylla 23: 718, 720,
 734, 736
calophlebia 23: 762
canaguensis 23: 720, 724,
 751
cardonae 23: 718, 721, 759
chaquirana 23: 769
chimo 23: 755, 756
chionantha 23: 458, 462
chrysorrhachis 23: 748, 749
circinata 23: 775
comitis 23: 718, 759
condensata 23: 727
corymbifera 23: 718, 758,
 759
crocea 23: 720, 721, 722,
 723, 736, 737, 740,
 742, 743, 744, 757
 var crocea 23: 737
 var parviflora 23: 738
 var riparia 23: 738
 f heterodoxa 23: 735,
 739, 743
 f riparia 23: 737,
 739
ctenocalyx 23: 718, 761
demissa 23: 718, 719,
 752, 755, 756
 var chimo 23: 754, 755,
 756
 f chimo 23: 755
 f pubens 23: 755, 756
 var demissa 23: 755
didymocarpa 23: 517
duckei 23: 735
dunstervilleorum 23: 719,
 772
elliptica 23: 718, 720, 775,
 776
ensiformis 23: 719, 770
expetens 23: 718, 760
fastigiata Ch. & Schl. 23:
 738
fastigiata H.B.K. 23: 738,
 740, 741
fendleri 23: 720, 743
flexiramea 23: 720, 753
foldatsii 23: 541, 664, 720,
 777
garciae 23: 664, 720, 721,
 762
glabriflora 23: 720, 735,
 736
grandiflora 23: 720, 721,
 722, 724, 743, 744, 747
grandifolia 23: 718, 722,
 724, 725, 727
 var grandifolia 23: 725,
 727
 var sprucei 23: 725, 728,
 747
guianensis 23: 457, 717, 722,
 727, 735, 736, 742
 subsp barbinervia 23: 727,
 728, 730
 subsp guianensis 23: 728,
 729
 subsp occidentalis 23: 729
 var glabrescens 23: 728,
 730
 var occidentalis 23: 730
 f glabra 23: 728, 730
 f occidentalis 23: 728,
 730
 var tetramera 23: 728
 var trimeria 23: 728
insignis 23: 720, 776
ionantha 23: 770
irwinii 23: 718, 758
jahnii 23: 722, 724, 762
laevigata 23: 747
lancigera 23: 720, 762
lasiophylla 23: 748
lasseri 23: 724, 769
leuconeura 23: 719, 721,
 724, 764
lindenii 23: 773

- longiflora 23: 723, 744,
 745, 746, 766
 longistipulata 23: 719, 748,
 749
 subsp chrysorrhachis 23:
 748, 749
 subsp longistipulata 23:
 748, 749
 lutulenta 23: 752
 lyristipula 23: 723, 752,
 753
 macrobotrys 23: 734, 754
 macrophylla 23: 726
 macrothyrsa 23: 726
 meridensis 23: 719, 752
 molliramis 23: 529
 moritzii 23: 771
 nana 23: 722, 768
 nicotianaefolia auct. 23:
 736
 nicotianaefolia Ch. &
 Schl. 23: 736, 737
 nigricans 23: 724, 766
 nitidella 23: 719, 722,
 723, 724, 746, 747
 nubicola 23: 722, 767
 obscurata 23: 743, 744
 obtusata 23: 719, 760
 perquadrangularis 23: 719,
 753, 770, 771, 773, 775,
 776
 var brevipes 23: 773,
 774
 var guayanensis 23: 773,
 774, 775, 776
 var perquadrangularis
 23: 773, 774, 775, 776
 var pubens 23: 773, 775
 petiolaris 23: 535, 536,
 722, 763, 764, 765
 pittieri 23: 721, 722, 766,
 767
 puberulenta 23: 720, 724,
 750
 purdiei 23: 762
pustulata 23: 719, 736
 pyramidalis 23: 754
 quadrifolia (Rudge) DC.
 23: 718, 760
 quadrifolia Rudge 23: 758,
 760
 querceticola 23: 771
- quindensis 23: 771
 rigida 23: 720, 723, 731
 subsp hirtella 23: 732
 var hirtella 23: 732
 var strepens 23: 732
 subsp rigida 23: 732
 var hirtibacca 23: 732
 var rigida 23: 732
 f angustior 23: 733
 f microphylla 23: 732
 riparia 23: 738, 740
 roraimae 23: 595, 596
 salmonea 23: 757
 sancti-caroli 23: 749
 semirasa 23: 743, 757
 spruceana 23: 726
 stenoclada 23: 738, 740
 strepens 23: 732
 tachirensis 23: 705
 tamaensis 23: 718, 749, 750
 var psilophylla 23: 719,
 750
 var tamaensis 23: 750
tepuicola 23: 523, 724,
 742, 743
 ternata 23: 733, 734
 triphylla 23: 718, 719,
 733, 734, 735
 ulei 23: 726
 umbellata 23: 760
 venezuelensis 23: 719, 756
 verrucosa 23: 759
 violacea 23: 621
 virens 23: 718, 758
vogelii 23: 718, 719, 734
 Parachimarrhis 12: 185, 186
 breviloba 12: 181, 185
 Patabea
 alba 23: 634
 coccinea 17: 343
 Patima
 guianensis 17: 314, 315
 laxiflora 10: 220; 12: 223
 Perama 10: 232; 23: 227, 832
 dichotoma 10: 232, 234, 235,
 236, 237
 var dichotoma 10: t233,
 235, 236
 var hirsutula 10: 234, 236
 var scaposa 10: t233, 234,
 236, 237
 ericoides 10: 248

- galioides 10: 232, 238,
 239, 245, 246, 250
 var densipila 10: 238,
 t240, 243, 244, 245,
 246
 var galioides 10: 239,
 t240, 241, 244, 246
 f galioides 10: 238,
 239, 241, 245
 f macrocephala 10: 238,
 239
 f quaternata 10: 238,
 239
 var hispida 10: 241, t242,
 243, 244, 246
 f cinerea 10: 238, 243
 f hispida 10: 238, 241
 var intermedia 10: 238,
 243, 244, 245, 246
 var longiflora 10: 238,
 241, 243, 244, 246
 hirsuta 10: 232, 245, 246,
 248, 249, 250
 var hirsuta 10: t246,
 248, 250
 var stricta 10: t246,
 249, 250
mexiae 10: 232, 246, t247
 plantaginea 10: 232, t233;
 23: 832
 scaposa 10: 236, 237
schultesii 23: 832
setulosa 10: 248
 stricta 10: 245, 249, 250
 vellerea 10: 232, 250
 Petagomea 17: 425; 23: 406,
 484, 637, 642, 643
 atricapilla 17: 425; 23:
646
 hirta 17: 425; 23: 643
 nigricans 17: 425; 23:
642
 Phitopsis 10: 221
 Pinckneya
 viridiflora 23: 307
 Pittierothamnus 23: 316,
 317, 318
 elineolatus 23: 317, 320,
 322
 Platycarpum 10: 250, 251, 258,
 259; 17: 236
 decipiens 10: t224, 252, 256
 duckei 10: 252, 253
eglandulosum 10: 251, 258
 froesii 10: 250, 251, 252
maguirei 10: t224, t225,
 252, 255
 negrense 10: 252, 256
 orinocense 10: 252, 253
 var grandiflorum 10: 254
 var orinocense 10: 253
 rhododactylum 10: 252, 256,
 258
rugosum 10: 252, 257, 258,
 259
 schultesii 10: 251, 252
 Portlandia
 acuminata 23: 297
 hexandra 23: 297
 speciosa 23: 297
 Posoqueria 17: 322, 331, 333;
 23: 233
 acuminata 17: 323
 brachyantha 17: 327
 coriacea 17: 328, 329
 subsp coriacea 17: 329,
 330
 subsp formosa 17: 323, 326,
 328, 329, 330, 331
 f huilensis 17: 331
 subsp maxima 17: 323, 326,
 329, 331
 decora 17: 326
 densiflora 17: 329
 formosa 17: 330
 gracilis 17: 327, 328
 grandiflora 17: 325
 huilensis 17: 331
 intermedia 17: 328, 329
 latifolia auct 17: 329
 latifolia (Rudge) R.&S. 12:
 198; 17: 323, 326, 328,
 329, 331
 subsp gracilis 17: 326,
 327
 subsp latifolia 17: 326
 longiflora 17: 322, 323, 326,
 329
 maxima 17: 326, 329, 331
 metensis 17: 324, 325
 mutisii 17: 325
 obliquenervia 17: 333
 panamensis 17: 322, 324, 326,
 328, 329

- subsp grandiflora 17: 324,
 325, 326
 subsp panamensis 17: 324,
 325
pittieri 17: 333
platysiphonia 17: 323, 331
speciosa 17: 333
spraguei 17: 325
trinitatis 17: 323, 328, 329
velutina 17: 323, 331
williamsii 17: 331, t332
Pseudochimarrhis 12: 178
barbata 12: 179
turbinata 12: 180
Psychotria auct. 23: 484
Psychotria Benth & Hook. 23:
 484
Psychotria L. 17: 417, 426,
 431, 434; 23: 227, 299,
 406, 407, 408, 444, 445,
 446, 458, 485, 487, 489,
 490, 495, 529, 530, 532,
 542, 544, 545, 558, 580,
 585, 588, 593, 597, 599,
 603, 612, 613, 623, 629,
 632, 637, 638, 640, 641,
 643, 645, 650, 651, 663,
 664, 669, 675, 678, 690,
 691, 698, 713, 717, 724,
 725, 737, 760, 777
 subgen Heteropsychotria
 23: 407, 444, 484
 subgen Psychotria 23: 407,
 411, 444
 subgen Psychotria sensu
Petit 23: 484
 subgen Tetramerae 23: 408,
 444
 sect Bracteatae 23: 408
 sect Cephaelis (Sw.) M.
 Arg. 23: 444, 637, 668,
 686
 sect Cephaelis M. Arg.
 23: 645, 651, 668, 675
 sect Chasalia 23: 408
 sect Chytropsia 23: 444,
 484
 sect Confertiflorae 23: 408
 sect Didymocarpus 23: 444
 516
 sect Durifolia 23: 444, 705
 sect Eupsychotria 23: 498
 sect Heteropsychotria 23:
 444, 498
 sect Mapourea 23: 445
 sect Mapouria 23: 445, 484
 sect Nonatelia 23: 444, 542
 sect Notopleura 23: 444,
 545, 552
 sect Oppositiflorae 23:
 444, 711
 sect Oribasa 23: 724, 725
 sect Palicourea 23: 675,
 725
 sect Paniculatae 23: 408
 sect Potaroenses 23: 408,
 444, 662, 663, 664, 668
 sect Pseudocephaelis 23:
 444, 593, 629
 sect Psychotriopsis 23:
 515, 520
 sect Semiclausae 23: 601
 sect Tapogomea 23: 637,
 645, 651, 678, 686
 sect Tetramerae 23: 408
 sect Trichocephaelis 23:
 645
 sect Viscagoga 23: 566
 ser Altsonii 23: 444, 554,
 555, 557
 ser Aneurophyllae 23: 444,
 545, 555, 558
 ser Appunianae 23: 444,
 657
 ser Axillares 23: 444, 692
 ser Barbiflorae 23: 574,
 580, 588, 593, 598
 ser Brachiatae 23: 580, 616
 ser Brachypodae 23: 598,
 616
 ser Brachythyrsoe Cuspidatae
 23: 517
 ser Bracteocardiae 23: 444,
 668, 678
 ser Bracteosae M. Arg. 23:
 524, 629
 ser Crococlamys 23: 444,
 593, 630
 ser Cephaelis 23: 444, 668
 ser Cephaelideae 23: 651,
 678
 ser Capitatae (Benth. &
 Hook.) Steyererm. 23: 444,
 616, 629

- ser Capitatae Benth. & Hook. 23: 598, 616, 629
- ser Bracteosae (M. Arg.) Steyer. 23: 444, 629, 630
- ser Brachythysae Cuspidatae 23: 517
- ser Divaricatae 23: 517
- ser Ebracteatae 23: 498
- ser Heteropsychotria 23: 444, 498
- ser Inundatae 23: 616, 629
- ser Ipecacuanhae 23: 637, 650
- ser Mollirami 23: 444, 529
- ser Monocephalae 23: 637
- ser Notopleurae 23: 444, 555, 558, 567
- ser Oligantheae M. Arg. 23: 654
- ser Oligantheae (M. Arg.) Steyer. 23: 444, 654
- ser Pseudocephalidae 23: 588, 593
- ser Pseudocephalideae 23: 598
- ser Pseudocephalis 23: 444, 598
- ser Schizolobariae 23: 637, 645
- ser Semiclausae 23: 598
- ser Stenothyrsae 23: 498
- ser Stenothyrsae Quadriscipides 23: 498
- ser Tapogomeales 23: 651, 678
- ser Trichocephalae Benth. & Hook. 23: 637
- ser Trichocephalae (Benth. & Hook.) M. Arg. 23: 637, 642, 650
- ser Trichocephalae (Benth. & Hook.) Steyer. 23: 444, 637
- ser Viscagoga 23: 444, 566
- acreana 23: 428, 483
- acuminata 23: 440, 517, 521, 522
- adderleyi 23: 441, 443, 513, 514, 516
- adenophora 23: 419, 599
- adpressipilis 23: 421, 648, 649
- aetantha 23: 415, 665, 667
- agostinii 23: 412, 551, 552, 553
- alba 23: 426, 427, 465, 466, 467, 638
- albacostata 23: 552, 562
- alboviridula 23: 477
- aligera 23: 429, 568, 572, 573
- altsonii 23: 407, 416, 555
- amazonica 23: 725
- amita 23: 441, 442, 527, 528
f amita 23: 527
- f canaguensis 23: 527, 528
- amplectens 23: 435, 524, 525
- amplifolia 23: 621, 766
- amplinoda 17: 431, 432; 23: 566
var amplinoda 17: 433
var ayangannae 17: 433; 23: 566
- anceps 23: 426, 427, 428, 463, 464, 465, 466
var anceps 23: 464, 466
var robustior 23: 464, 466
- aneurophylla 23: 410, 411, 416, 545, 546, 547, 548
- aneurophyloides 23: 410, 411, 416, 547
- anisopoda 23: 409, 411, 692
- anomothyrsa 23: 563
- apoda 23: 413, 414, 418, 668, 670
- appuniana 23: 437, 657, 660, 661, 662
- araguana 23: 442, 506
- araguariensis 23: 429, 588
- araguensis 23: 409, 551
- arcuata 23: 618, 619
- arenaria 23: 522, 523
- argoviensis 23: 440, 499, 500, 501
- aristeguietae 23: 411, 426, 478
- aroensis 23: 428, 449
- aschersoniana 23: 432, 530, 532
- aschersonianoides 23: 749

- asiatica L. 23: 406, 407,
 408, 444, 445
 astrellantha 23: 439, 484,
 485
 atabapoensis 23: 505, 506
 aubletiana 23: 409, 692,
 694, 698, 700
 var andina 23: 694, 695,
 697, 698, 699, 700
 f andina 23: 694
 f pubescens 23: 694,
 697
 var aubletiana 23: 694,
 695, 697, 698, 700,
 701
 var cacuminis 23: 697,
 699
 f cacuminis 23: 694
 f tomentella 23:
 694, 697
 var centro-americana 23:
 694, 697, 698
 var producta 23: 694, 698
 auyantepuiensis 17: 434;
 23: 525, 526
 avia 23: 405
avilensis 23: 411, 450
 axillaris Vell. 23: 692,
 694, 698, 711, 712, 715
 axillaris Willd. 23: 692,
 694, 698, 711, 712, 715
ayangannensis 23: 438,
 594, 595
 bahiensis DC. 23: 440,
 513, 517, 518, 520, 521,
 522, 523, 598, 615, 705
 var bahiensis 23: 517,
 520, 521
 var cornigera 23: 517,
 518, 520, 521
astaminea 23: 517, 518
astylota 23: 517
 bahiensis M. Arg. 23: 517
 balbisiana 23: 445
 barbiflora DC. 23: 407,
 417, 419, 424, 425, 435,
 520, 589, 598, 599, 601, 602,
 603, 604, 608, 609, 610,
 615, 616
 var amazonica 23: 604, 606
 barbiflora of Brem. 23: 604
 barcellana 23: 680, 682,
- 683, 684
barnebyana 23: 432, 542
bernardii 23: 428, 450
 berteriana 23: 432, 440,
 512, 534, 535, 764
 subsp berteriana 23: 534,
 535
 subsp luxurians 23: 534,
 535
 subsp venezuelia 23: 534,
 535
 bertieroides 23: 441, 507,
 508
 blakei 23: 424, 435, 438,
 627, 630
blepharophora 23: 409, 693,
 698
 var blepharophora 23: 693
 var pubens 23: 693
blepharophylla 23: 421, 425,
 649, 650
 boliviana 23: 439, 484, 485,
 489, 495
bolivarensis 23: 423, 651,
 653, 654
 bolivariana 23: 530
 boqueronensis 23: 591
 borjensis 23: 426, 428, 448,
 449
 bostrychothyrsus 23: 431, 498,
 500, 501, 505
botryocephala 23: 410, 692
boyanii 23: 436, 659
 brachiata auct. 23: 585
 brachiata Sw. 23: 580, 581,
 585, 586
 brachybotrya 23: 588, 598,
 609
 brachybotrys 23: 436
 bracteata D. Dietr. 23: 628
 bracteata F. G. Dietr. 23:
 433, 628
 bracteata DC. 23: 616
 var intermedia 23: 625,
 626, 628
 var latifolia 23: 625, 626,
 628
 var tenuifolia 23: 625,
 626, 628
 bracteata A. DC. 23: 626,
 627, 628
 bracteata Wight & Arn. 23: 628

- bracteocardia 23: 420, 651,
678, 688, 689, 691
brazoi 23: 438, 610, t611
bremekampiana 23: 422, 424,
643
browni 23: 407, 408, 444,
445
cabuyarensis 23: 456
cacuminis 17: 433, 434;
23: 539, 541, 697
caerulea 23: 429, 580,
581, 585, 586
calciphila 23: 428, 471
callithrix 23: 421, 422,
640, 641
var callithrix 23: 640
var tontaneoides 23: 640
calochlamys 23: 627
calviflora 23: 417, 686
camporum 23: 448
campyloneura 23: 504
campylopoda 23: 410, 421,
422, 704, 708
canaguensis 23: 528
canescens 23: 423, 651,
t652, 653
capitata 23: 417, 419, 422,
425, 433, 434, 436, 614,
616, 617, 618, 619, 623,
624, 628, 629
subsp amplifolia 23: 431,
433, 616, 621, 623, 625
f tomentosa 23: 623
subsp capitata 23: 616,
623
var capitata 23: 616,
617, 618, 623
f trichophora 23: 617
subsp inundata 23: 618,
619, 623, 629
var inundata 23: 616,
620, 621, 623
var roraimensis 23: 438,
616, 619, 620, 621,
623, 629
var septentrionalis 23:
616, 621
caquetensis 23: 414, 653
carthaginensis 23: 426, 428,
465, 467, 468, 469, 470
casiquiaria 23: 411, 423,
435, 588, 598, 601, 602
cataractarum 23: 725, 728,
729
celiae 23: 409, t699, 700
cephalantha 23: 488, 492,
493
ceratantha 23: 432, 440, 517,
522, 523, 524
cerronis 23: 438, 597
chapensis 23: 412, 552
chionantha 23: 458, 459
chlorantha 17: 432; 23: 463,
465
chlorotica 23: 616, 617, 618
var lanceolata 23: 617
var obovata 23: 617
chondroloma 17: 435; 23: 592
cincta 23: 434, 441, 508,
509, 511
circinata 23: 775
colorata 23: 416, 418, 614,
684, 686
subsp colorata 23: 684,
685, 686, 687
subsp megapontica 23: 684,
685, 686, 687
comitis 23: 759
concinna 23: 415, 439, 597,
598
contracta 23: 420, 598, 599,
601
cordifolia 23: 409, 431,
440, 708, 710
subsp cordifolia 23: 708
subsp perpusilla 23: 708
cornifolia 17: 419, 420
cornigera 23: 518, 520
corymbifera 23: 758
costanensis 23: 411, 417,
418, 657, 658
subsp andina 23: 659
subsp costanensis 23: 658,
659
var costanensis 23: 658
var pubibractea 23: 658,
659
costularia 23: 419, 432, 530
cousareoides 23: 430, 485,
495, 496, 498, 576
var ciliata 23: 496
var cousareoides 23: 496
crassa 23: 412, 430, 558,
567, 568

- crocea 23: 737
 crocochlamys 23: 431, 593,
 596, 597, 614, 630
ctenophora 23: 420, 690
 cubitalis 23: 619, 620,
 621
 cupularis 23: 427, 428, 452,
 453
 cuspidata auct. 23: 518
 cuspidata Bredem. ex R. &
 S. 23: 440, 506, 517, 518,
 520, 521, 522, 524
compacta 23: 517
 cuspidata Standl. 23: 521
decurrens 23: 408, 411, 549
 deflexa 23: 443, 484, 498,
 499, 500, 501, 503, 504,
 506, 512, 513, 615
 subsp campyloncura 23:
 501, 504, 505, 509
 subsp cubensis 23: 501,
 503
 subsp deflexa 23: 501,
 505
 subsp venulosa 23: 501,
 503
 deinocalyx 23: 413, 485,
 493
 dichotoma (Rudge) Brem. 23:
600
 dichotoma H. & B. ex R. &
 S. 23: 600
 dichotoma Willd. 23: 604
 diversicolor 23: 744
 domingensis 23: 700
 duckei 23: 664
 duidana 23: 438, 597
dunstervilleorum 23: 409,
 702, 704
 dura 23: 445
 duricoria 23: 431, 533,
 542
 var duricoria 23: 533
 var longiloba 23: 533
 durifolia 23: 409, 705,
 706, 708, 777
eciliata 23: 409, 693
 egensis 23: 437, 588, 589,
 593, 597, 602
 eggertii 23: 441, 526, 527
embirensis 23: 413, 416,
 656, 663
 emetica 23: 713
 erecta 17: 360; 23: 409,
 410, 711, 713
 f erecta 23: 711, 712
 f fluctuans 23: 711, 713
 ernesti 23: 428, 483, 659
 erythrophylla 23: 607, 608
 everardii 17: 433, 434; 23:
 432, 539, 541, 542, 777
 subsp everardii 23: 539,
 540, 541
 subsp neblinensis 23: 539,
 540, 541
 subsp sipapoensis 23: 539,
 540, 541
 subsp tatei 23: 539, 540
 familiarifolia 23: 464
fanshawei 23: 415, 422, 423,
 664, 665
 faramoides 23: 435, 525
 fastigiata 23: 738
 fendleri 23: 470
fernandezii 23: 412, 429,
 468, 470
 ficigemma 23: 468, 470
 fimbriata 17: 419
 flavicans 23: 604
 flavovirens 23: 633
 flexuosa auct. 23: 501
 flexuosa Willd. 23: 500, 501
 floribunda Griseb. 23: 459
 floribunda H.B.K. 23: 459
 fluctuans 23: 713
 var angustifolia 23: 711,
 712
 var latifolia 23: 713
 fockeana 23: 468, 469
 foetidiflora 23: 489
 fortuita 23: 411, 426, 449,
 450, 451
fosbergii 23: 423, 630
 foveolata 23: 468
 franquevilleana 23: 429, 431,
 574, 580, 581, 593, 597,
 625
 glabra 23: 649, 650
 glabrata Johnston 23: 468
 glabrata Sw. 23: 468, 469,
 471
 glabrescens 23: 417, 687,
 688
glabristipula 23: 427, 428,
 476

- glandulicalyx 23: 440,
 442, 536, 537, 538
 subsp camaniensis 23: 538
 539
 var densipubens 23: 538
 539
 var glandulicalyx 23: 538
glaucescens 23: 472
glomerata 23: 427, 482
glomerulata 23: 670
graciliflora 23: 448
gracilis 23: 394, 399
granadensis 23: 479
grandifolia 23: 724, 725
grandis 23: 426, 456
grosourdyana 23: 570
guadalupensis 23: 567,
 568, 569, 570
 subsp grosourdyana 23:
 570, 571
 subsp guadalupensis 23:
 570, 571
 subsp tetrapyrena 23: 570
 subsp venezuelica 23:
 412, 429, 570
guaremalensis 23: 434, 507
guianensis (Aubl.) Raeusch.
 23: 457
guianensis (Aubl.) Raeusch.
 ex Steud. 23: 457
guianensis Raeusch. 23:
 457, 458, 485, 487, 675,
727, 728
guianensis (Aubl.) Rusby
 23: 457, 485, 487, 675,
727, 728
hancorniaefolia 17: 435; 23:
715, 716, 717
 var angustifolia 23: 716
 var brevifolia 23: 715
βgenuina 23: 715
 var longifolia 23: 716
 var variifolia 23: 715,
 716, 717
hebeclada 23: 599
hemicephaelis 17: 426; 23:
 419, 435, 593, 612, 630
herbacea 23: 389, 395, 396,
 397
heterocarpa 23: 619, 620,
 621
heteroneura 23: 411, 440,
 714, 717
hindsii 23: 482, 483
hirsuta 23: 678
hirta H. & B. ex R. & S. 23:
481, 643
hirta H. B. K. 23: 643
hoffmannseggiana 23: 407,
 424, 425, 436, 437, 520,
 588, 589, 593, 598, 599,
 601, 603, 604, 606, 607,
 612, 614, 615, 629, 649,
 650
 var celsa 23: 604, 608
 var erythrophylla 23: 604,
 607, 608
 var hoffmannseggiana 23: 604
 f hoffmannseggiana 23: 607
 f pubescens 23: 604, 607,
 608
 var tribractea 23: 603,
 604, 608
homoplastica 23: 624, 625
horizontalis 23: 411, 426,
 467, 471, 473
 var glaucescens 23: 471,
 472, 473
 var horizontalis 23: 471,
 472, 473
 var psilophylla 23: 471, 472
horridula 23: 650
humboldtiana 23: 417, 418,
 419, 435, 436, 593, 612,
 613, 630
 var caudata 23: 612, 613
 var ornata 23: 612
humensis 23: 411, 548, 550
hyalina 23: 418, 670, 671
hypoides 23: 429, 580, 581,
 583
imthurniana 17: 434; 23: 440,
 525, 526
 f imthurniana 23: 525
 f ptariensis 23: 525, 526
indulgens 23: 532, 533
inundata 23: 616, 618, 619
involucrata auct. 23: 602,
 603, 606, 614, 615
involucrata A. Rich. 23: 675
involucrata Sw. 23: 602, 603,
 609, 614, 616, 675
involucrata Willd. ex DC. 23:
 603, 675

- iodotricha 23: 414, 644,
 645, 646, 647, 648
 subsp atricapilla 23:
 644, 646
 subsp iodotricha 23: 644,
 645, 646
 subsp multibractea 23:
 644, 646
 subsp multiflora 23: 644,
 645
 iquitosensis 23: 609
irwini 23: 427, 428, 453,
 454
 japuensis 23: 650
 jauensis 23: 419, 517, 524
 jenmanii 23: 661
 justiciifolia 23: 631
 kaieteurensis 23: 432, 506,
 516, 660
 kappleri M. Arg. 23: 675
 kappleri (Miq.) M. Arg. ex
 Ben. 23: 413, 417, 674,
 675, 678
 kukenanensis 23: 489
 laevis 23: 558
 var angustifolia 23: 563
 lancigera 23: 762
 langsdorffiana 23: 633
 latifolia 17: 360; 23: 711,
 712, 725, 726
leiantha 23: 421, 424, 612,
 628, 630, 635, 636
 leucophaea 23: 631, 635
ligularis 23: 417, 418,
 616, 675, 676
 var carapichea 23: 675,
 676
 var ligularis 23: 675
 ligustrina 23: 448
 limbata 17: 423
 limonensis auct. 23: 473
 limonensis Krause 23:
 473, 474, 475
 lindenii 23: 424, 433,
 612, 635
liogieri 23: 700
 longicuspis 23: 434, 509,
 511
 longiflora 23: 744
 longifolia 17: 293
 longipes 23: 716
 longirostris 23: 432,
 528, 529
 longissima 23: 558
 longistipula 23: 542
 longistipulata 23: 748
 loretensis 23: 434, 441, 508,
 509
lourteigiana 23: 418, 436,
 586, 587, 588, 589, 598
lucentifolia 23: 424, 610,
 612, 630
 lucida 23: 464, 465, 466
 lupulina 23: 407, 416, 417,
 424, 425, 438, 599, 601,
 612, 614, 616, 627, 629,
 630, 632, 633
 subsp lupulina 23: 631,
 633, 634, 635
 subsp rhodoleuca 23: 628,
 633, 634
 var maypurensis 23: 424,
 433, 435, 631, 634, 635
 f pubens 23: 631, 634
 var rhodoleuca 23: 634
 var stipulacea 23: 631
 luschnathiana 23: 462
 luschnathi 23: 462
 luxurians 23: 534, 535
 macrocarpa 23: 658
 macrophylla R.&P. 23: 407,
 552, 558, 560, 561, 563,
 566
 subsp albacostata 23: 413,
 552, 561, 562, 564, 565
 subsp albacostata X
uliginosa 23: 560
 var angustissima 23: 561,
 563
 subsp anomothyrsa 23: 413,
 560, 561, 563, 564, 566
 f anomothyrsa 23: 564
 f tomentella 23: 564
 subsp macrophylla 23: 561,
 562, 563, 564
 macrophylla Standl. 23: 563
 macropoda 23: 390
 macrothyrsa 23: 725
 maguirei 17: 421, 422
maguireorum 23: 434, 616,
 625, 626, 627, 628, 629
manaraeana 23: 421, 422,
 434, 627
manausensis 23: 443, 516

- manna 23: 445
 mapourioides 23: 426, 427,
 428, 456, 457, 458, 459,
 460, 463
 var chionantha 23: 459,
 462, 463
 var mapourioides 23: 459
 var opaca 23: 459, 462
 var tobagensis 23: 459,
 463
 mapuria 23: 457, 458
 marginata 23: 426, 445, 451
 martiana 23: 598, 600, 602
maturacensis 23: 430, 578,
 579, 580, 581
 maypurensis 23: 634
 maxonii 23: 574
 mazaruniensis 17: 426, 428;
 23: 431, 433, 622, 661
 medusula 17: 428; 23: 421,
 422, 423, 649, 650
megacephala 23: 414, 646
 megalophylla 23: 725
 megapontica 23: 685
 membranifolia 23: 534
meridensis 23: 432, 531,
 532
merumensis 23: 408, 429,
 574, 575
 micayensis 23: 558, 562
 micrantha 23: 425, 479,
 482, 483
 microbotrys 23: 434, 484,
 511, 512
 microcephala (Miq.) Miq.
 17: 434; 23: 604, 606,
 655
 microcephala (Willd. ex
 R.&S.) M. Arg. 17: 434;
 23: 604, 655
βtripotamica 23: 655
 microdon 23: 439, 446,
 447
 var meridionalis 23: 446
 var microdon 23: 446
 minor 23: 500
 molliramea 23: 432, 433
molliramis 23: 529, 530
moroides 23: 420, 485,
 487, 488, 492
 multiplex 23: 581
multiramosa 23: 412, 429, 568
muscosa 23: 413, 414, 418,
 668, 671
 subsp breviloba 23: 672,
 673
 subsp muscosa 23: 672, 673
nana 23: 420, 488
necopinata 23: 589
nematostachya 23: 441, 512
nervosa Benth. 23: 631, 632
nervosa Sw. 23: 425, 445,
 479, 480, 481, 483
 subsp micrantha 23: 419
 subsp nervosa 23: 479, 481
 subsp rufescens 23: 425,
 478, 480, 481, 482
 var hirta 23: 479, 481
 var rufescens 23: 479
nicotianaefolia 23: 563, 737
nigricans 23: 643
nitida 23: 457, 458
nitidella 23: 746
nivea 23: 407, 415, 555, 556
norae 23: 409, 702, 703
nudiceps 23: 493
obliquinervia 23: 441, 509
oblita 17: 426; 23: 417,
 438, 594, 595, 596, 612
oblonga 23: 414, 420, 424,
 663, 673, 674, 678
obscurata 23: 743, 744
occidentalis 23: 423, 545,
 546, 548
officinalis of Brem. 23: 604,
 606
officinalis (Aubl.) Raesch.
 23: 598, 603, 604, 606,
 614, 615
officinalis (Aubl.) Sandw.
 23: 438, 614, 615, 616
 subsp officinalis 23: 614,
 615
 subsp wilhelminensis 23:
 615
oiapoquensis 23: 414, 647
opaca 23: 459
ottonis 23: 528
pacimonica 23: 418, 431,
 588, 589
pakaraimensis 23: 430, 509,
 510, 511
pallidinervia 23: 488, 491,
 492

- paniculata 23: 443, 499, 500,
 501, 505
 paradoxa 23: 524, 525, 629
 paraënsis 23: 638, 740
 paramorum 23: 567, 568
 parasitica 23: 569
pariensis 23: 441, 513,
 515
parimensis 23: 420, 691
parvibractea 23: 436, 581,
 583
 parviflora 23: 300
 parvifolia 23: 448
 patens auct. 23: 501, 503
 patens Sw. 23: 499, 501,
 503
 patria 23: 412, 553, 555
 var patria 23: 553, 554
 var tovarensis 23: 553, 554
 patrisii 23: 464
 paupertina 23: 419, 439, 484,
 490, 492
peduncularis 23: 546
 pendula Hook. 23: 568, 569
 pendula (Jacq.) Urb. 23:
569, 572
 subsp genuina 23: 570
 subsp grosourdyana 23:
 569, 570
 subsp pachyphylla 23: 570
 subsp tetrapyrena 23: 570
 subsp trinitensis 23: 569,
571, 572
perpapillifera 23: 412, 429,
 571
 persimilis 23: 633
peruviana 23: 667, 668
 petiolaris 23: 763
 phaneroloma 23: 418, 437,
 439, 588, 590, 591, 608
 var angustior 23: 590,
 591
 var phaneroloma 23: 590,
 591
 phaneroneura 17: 433, 434;
 23: 539, 541, 667
 phelpsiana 23: 410, 706,
 708, 777
 phytolacca 23: 558
 picta 23: 638
 pinnularis 23: 446, 447
piresii 23: 421, 433, 624
 platyphylla 23: 534
 platypoda 23: 419, 600, 601
 plocamipes 23: 440, 511
 podocephala 23: 484, 485,
 490, 492, 495, 677
 poeppigiana 23: 420, 642,
 651, 678, 680, 682, 683
 subsp barcellana 23: 678,
 680, 683, 684
 subsp poeppigiana 23: 678,
 683, 684
 polycephala 23: 407, 437,
 585, 588, 591, 592
 portoricensis 23: 480, 569
potaroensis 23: 415, 422,
 662, 663, 665
prancei 23: 416, 421, 656,
 662, 663
prunifolia 23: 414, 421,
 654, 655, 656, 657, 662,
 663, 668
 pseudinundata 23: 628
psittacina 23: 416, 665, t666
 psychotriaefolia 23: 409, 410,
 415, 478
 ptariensis 23: 526
puberulenta 23: 439, 488
 pubescens Bartl. ex DC. 23:
 690
 pubescens Sw. 23: 534, 688,
 689, 690
 pullei 23: 440, 512
pungens 23: 413, 677
 purpurea 23: 638, 640
quadribractea 23: 421, 424,
 614
 quadrifolia 23: 760
 racemifera 23: 591, 592
 racemosa 23: 434, 542
 remota 23: 411, 426, 477,
 482
 repens 23: 395
 rhodoleuca 23: 633
 rhodothamna 23: 517, 520
 rigida 23: 731
 α hirtella 23: 732
 γ strepens 23: 732
 romboutsii 23: 524, 525
rosacea 23: 409, 701
 rosea 23: 417, 423, 686,
 687, 688
 var rosea 23: 687, 688

- f calvescens* 23: 687, 688
f rosea 23: 687, 688
 var *trichophora* 23: 420, 687, 688
rubra 23: 604, 607
rudgei 23: 631, 632, 633
ruelliaefolia 23: 691
rufescens auct. 23: 479, 482
rufescens H.&B. ex R.&S. 23: 480, 481, 482, 483
rufescens H.B.K. 23: 479, 480, 482, 483
 α *ferruginea* 23: 480
 β *hirta* 23: 481
ruiz-teranii 23: 409, 702, 703, 704
salicifolia Hemsl. 23: 610
salicifolia H.&B. ex R.&S. 23: 610
salicifolia H.B.K. 23: 464, 465, 466, 610
sancti-caroli 23: 748
sandwithiana 23: 407, 416, 555
sanluisensis 23: 427, 470
sanmartensis 23: 430, 532, 533
 var *costanensis* 23: 532
 var *sanmartensis* 23: 532
santaremica M. Arg. 23: 518, 520
santaremica Standl. 23: 518
schlimii 23: 439, 705
schomburgkii 17: 435; 23: 424, 437, 588, 592, 593, 597, 598, 602
schwartzii 23: 445
sciaphila 23: 422, 641, 642
 subsp *longicalyx* 23: 641
 subsp *sciaphila* 23: 641
sessilis 23: 708, 715, 716, 717
 var *angustifolia* 23: 409, 410, 715, 716, 717
 var *genuina* 23: 716
 var *glabrescens* 23: 715
 var *hancorniaefolia* 23: 715, 717
 var *longipes* 23: 715
 var *sessilis* 23: 715, 717
setifera 23: 618, 619
silvae 23: 431, 580, 581, t582
silvatica 23: 691
silvicola 23: 515
simira 23: 300
sinuensis 23: 478, 479
sipapoensis 23: 409, 440, 708, t709
sororiella 23: 490, 492, 677
sororopanensis 17: 435; 23: 716
spadicea 12: 285; 23: 411, 414, 417, 418, 420, 423, 424, 663, 674
spectabilis 23: 414, 664
speluncae 17: 436; 23: 410, 411, 439, 710, 715
 subsp *brevicalyx* 17: 346; 23: 710, 711
 subsp *exerta* 17: 346; 23: 710, 711
 subsp *speluncae* 17: 436; 23: 710
sphaerocephala 23: 421, 637, 650
spicata Benth. 23: 492, 590, 591, 608
spicata M. Arg. 23: 492, 590
spiciflora 23: 419, 431, 432, 492
sprucei 23: 725, 726
standleyana 23: 410, 412, 549, 550, 551
stenoclada 23: 738
stenophylla 23: 771
stipulosa 23: 418, 430, 433, 616, 624, 629
striolata 23: 426, 484
subcuspidata 23: 517, 518, 519, 520
subpedicellata 23: 434, 507, 508
subsessilis 23: 713
 var *minor* 23: 500
subundulata 23: 442, 443, 501, 505, 506, 508, 516
sucrensis 23: 416, 430, 547
surinamensis 23: 434, 512, 638, 640
swartzii 23: 671
sylvatica 23: 690

- tabacifolia 23: 737
 tamaensis 23: 750
 tapajozensis 23: 430, 558,
 566
tapirapecoana 23: 438,
 628, 629
 tatamana 23: 448
 tatei 17: 433, 434; 23: 540,
 541, 596, 597
 tenuiramea 23: 604
tepuiensis 23: 433, 661,
 663
terepaimensis 23: 412, 565
 ternata 23: 733
tetramera 23: 423, 653,
 654
tillettii 23: 431, 495,
 496, t497, 580
 tinctoria 23: 300, 693
 tobagensis 23: 463
 tolimensis 23: 563
 tomentosa Hemsl. 23: 678
 tomentosa (Aubl.) M. Arg.
 23: 678, 682, 683, 684
 transiens 23: 436, 657,
 659, 660, 661, 662
 tribracteata 23: 603, 608
 trichocephala 23: 414,
 637, 648, 649
 trichophora 23: 414, 416,
 642, 643, 650
 trichophoroides 23: 410,
 414, 416, 642, 643, 644,
 650
 trichotoma 23: 425, 473,
 474, 475, 476, 477
 var trichophylla 23:
 473, 475
 var trichotoma 23: 473,
 475
 trinitensis 23: 457, 458,
 571
 triphylla 23: 733
trujilloi 23: 425, 428,
 475
 turbinella 23: 416, 676,
 677
 var turbinella 23: 676
 var sororiella 23: 676,
 677
 uberta 23: 410, 411, 549,
 550, 551
 ulei 23: 725
 uliginosa 23: 407, 412, 413,
 429, 552, 558, 560, 564,
 565, 566
 uliginosa X macrophylla
 subsp. albocostata 23: 413
ulviformis 23: 410, 416, 420,
 638
umbriana 23: 612, 637
 undata 23: 479, 480, 481, 483
 var glabra 23: 479
 var poitaei 23: 479
 f pubescens 23: 480
urbaniana 23: 671
urniformis 23: 415, 555, 556,
 t557
vareschii 23: 419, 430, 706,
 t706, 708
variegata 23: 410, 421, 422,
 638, 640
vasivensis 23: 430, 485, 574,
 578, 580, 581, 593
 vaupesana 23: 492
 velutipes 23: 715, 716, 717
venezuelensis 23: 430, 485,
 493, t494
 ventuariana 23: 430, 431,
 485, 495, 496, 593
 venulosa 23: 503
 vernicifolia 17: 433, 434;
 23: 532, 541
 viburnoides 23: 463, 465
 vichadensis 23: 414, 423, 614
 villosa 23: 483
 violacea Aubl. 23: 399, 621,
 668, 669
 violacea de Wild. 23: 668
 violacea Willd. 23: 621, 668,
 669
 violaefolia 23: 391
 virens Hiern in Oliver 23: 758
 virens Poepp. & Endl. 23: 758
 wallisiana 23: 725, 726
wessels-boeri 23: 427, 467
wilhelminensis 23: 420, t486,
 487
wonotobensis 23: 426, 473
wurdackii 23: 431, 576, t577
 xanthocephala 23: 655
yaracuyensis 23: 427, 447
yavitensis 23: 427, 456, 457
 Psychotria M. Arg. 23: 484

- Psychotrieae 12: 263; 17: 396;
 23: 227, 389, 558, 622
 Psychotropium fruticulosum
 foliis plumbeis & c.
 23: 451
 Pteridocalyx 17: 234
 Randia 23: 227, 325, 332
 aculeata 23: 325, 336,
 339, 340, 341
 var aculeata 23: 342
 f aculeata 23: 340, 341
 f minor 23: 340, 341
 f mitis 23: 340
 var dasyclada 23: 340,
 341, 342
 var dasyphylla 23: 340,
 341, 342
 var mitis 23: 340
amazonasensis 23: 325,
 336, t337, 338
 aristeguietae 23: 325, 329
 armata 23: 325, 330, 331,
 333, 335, 336, 339
 var pubescens 23: 338
 asperifolia 23: 325, 335
 brevipes 23: 325, 334
 calycina 23: 325, 332, 333
 caracasana 23: 338, 339
 dioica 23: 325, 338, 339
 formosa 23: 327, 329
 var densiflora 23: 325,
 327, 328, 329
 var formosa 23: 327,
 329
 var nitida 23: 325, 327,
 329
 gaumeri 23: 325, 342
 hebecarpa 23: 325, 333,
 334
 hondensis 23: 325, 332,
 333, 335, 338
 latifolia 23: 340, 341
 var mitis 23: 340, 341
 longiflora Lam. 23: 326
 longiflora Salisb. 23:
 326
 macrophylla Benth. & Hook.
 23: 336
 macrophylla C. Moore 23:
 336
 millsbaughiana 23: 336
 mitis 23: 340, 341
 obovata H.B.K. 23: 341
 obovata R. & P. 17: 341
 orinocensis 23: 329
 parvifolia 23: 341
 ruiziana 23: 325, 326, 327,
 329
 spinosa (Jacq.) Karsten 23:
330, 331
 spinosa (Thunb.) Poir. 23:
 330, 331
 venezuelensis 23: 325, 335
 xalapensis 23: 336
 Remijia 23: 227, 230, 232, 249
 amazonica 23: 250, 251, 252,
 253
 var amazonica 23: 252
 var paraensis 23: 252
argentea 23: 250, 267, t268,
 269
 asperula 23: 250, 255
 bergeniana 23: 258
 densiflora 23: 250, 263, 264,
 265, 266, 267
 subsp densiflora 23: 265,
 266
 var densiflora 23: 264,
 265
 f densiflora 23: 265,
 266
 f glabricalyx 23: 264,
 265
 var minima 23: 264, 265
 subsp stenopetala 23: 264,
 265, 266
 duckei 23: 250, 255, 256
 ferruginea 23: 249
 firmula 23: 250, 258, 259,
 261
 hispida 23: 250, 256
 laevifolia 23: 264, 265, 266
 longifolia 23: 251, 259, 261
 macrocnemia 23: 249, 251
maguirei 23: 251, 256, t257
 pacimonica 23: 249, 252
 physophora 23: 249, 252
pilosinervula 17: 232, t233;
 23: 251, 267
 roraimae 23: 250, 251, 262,
 263
 var adpressa 23: 262, 263
 var auyantepuiensis 23: 262,
 263

- var guianensis 23: 262, 263
 var roraimae 23: 262, 263
sipapoensis 23: 251, t254, 255
 spruceana 23: 258
 stenopetala 23: 265, 266
 steyermarkii 23: 250, 253, 258
 tenuiflora 23: 250, 267
 ulei 23: 251, 253, 255
vaupesiana 23: 250, 253
wurdackii 23: 250, 259, t260, 261
 Retiniphyllae 12: 227
 Retiniphyllum 12: 227
 adinanthum 12: 244
 angustiflorum 12: 231
 cataractae 12: 228, 237, t238
 cearense 12: 228, 237
 chloranthum 12: 228, 231
 concolor 12: 228, 229, t230
 discolor 12: 229, 244
 erythranthum 12: 235, 236
 fuchsoides 12: 228, t230, 232
glabrum 12: 229, t238, 243
guianense 12: 229, 242
 kuhlmannii 12: 229, 242
 laxiflora 12: 240
 laxiflorum 12: 228, 233, 234, 236, 237
 var brasiliense 12: 233, 234
 var laxiflorum 12: t230, 233, 234
 var longilobum 12: 233
 laxiflorum X scabrum 12: 228, 236
 maguirei 12: 228, 239
 var maguirei 12: 239, 240
 var reticulatum 12: t238, 239
 martianum 12: 228, 229, t230, 231
 pallidum 12: 229, 244
 pauciflorum 12: 227, t230, 234
 peruvianum 12: 233
 pilosum 12: 228, t230, 232
 rhabdocalyx 12: t238, 243
 scabrum 12: 228, 234, 235, 236, 237
 var ayangannense 12: t230, 234, 236, 237
 var erythranthum 12: t230, 234, 236
 var scabrum 12: 234, 235, 236
 schomburgkii 12: 228, 240, 241
 subsp occidentale 12: 240, 241
 var hirticalyx 12: 240, 241
 subsp schomburgkii 12: t238, 240, 241
 var angustifolium 12: 240
 secundiflorum 12: 227, 228, t230, 232
 speciosum 12: 229, t238, 243
 tepuiense 12: t213, 228, 237, t238
 truncatum 12: 229, 241
 var angustifolium 12: 241, 242
 var truncatum 12: t238, 241, 242
 Ronabea 23: 406, 516, 711
 didymocarpos 23: 516, 517
 erecta 17: 360; 23: 694, 711, 712
 latifolia 17: 360; 23: 711, 712
 var hispidula 23: 713
 Rondeletia 17: 234, 241, 246, 249, 253, 284, 285
 americana 17: 241, 245, 246, 248
 arborescens 17: 249
aristeguietae 17: 242, 246
 bicolor 17: 264
 biflora 17: 264
 brevipes 17: 245, 246
 capitata 17: 249, 307
 caucana 17: 260
 chimboracensis 17: 255, 258
 colombiana 17: 258
 cumanensis 17: 242, 243, 244, 245, 246, 248
 cupreiflora 17: 258

- discolor 17: 251
 educta 17: 260
 eriantha 17: 241, 242, 246
 eriocarpa 17: 244, 245
 erythroneura 17: 242, 246
 euryphylla 17: 258
 ferruginea 17: 253
 funckiana 23: 322
 glabrata 17: 261
 glomerulata 17: 249
 hispidula 17: 260
 inconstans 17: 252, 253
 laevigata 17: 249
 larensis 17: 241, 245
 lorensis 17: 241, 242
 microdon 23: 446
 mollis Blake ex Knuth 17: 247
 mollis Blake ex Steyerl.
 17: 242, 247
 orinocensis 17: 242, 247
 orthoneura 17: 252, 253
 var angustior 17: 252
 ovata 17: 258, 259
 perezii 17: 258
 peruviana 17: 249, 251
 pubescens 17: 241, 245,
 246, 248
 purdiei 17: 241, 242,
 243, 247
 var glabrior 17: 242,
 243
 var purdiei 17: 242,
 243
 reflexa 17: 252, 253
 repens 23: 389, 395, 396
 rhynchospora 17: 245, 246
 rohrii 17: 241, 242
 rosea 12: 252
 rugulosa 17: 256, 258
 rupicola 17: 285, 286
 var chiribiquetana 17:
 285, 286
 scabrella 17: 249
 schumanniana 17: 249
 trichotoma 17: 252, 255
 venezuelensis 17: 241, 243,
 t244
 Rondeletieae 12: 186; 17: 234,
 284, 289; 23: 227, 232, 299
 Rubiaceae 10: 186, 251; 12:
 178; 17: 230; 23: 227, 232,
 275, 392, 470, 474, 481, 483,
 492, 503, 520, 529, 542, 544,
 564, 606, 618, 619, 628, 639,
 642, 643, 648, 677, 684, 690,
 784, 827
 Rudgea 17: 396, 397, 412, 413,
 417, 422, 423; 23: 227, 405,
 446, 484, 485, 495, 650
 apodantha 17: 397, 406
 aurantiaca 17: 356; 23: 385
 avia 23: 405, 406
 ayangannensis 17: 400, 410
 bolivarensis 17: 401, 415
 bremekampiana 17: 397, 407
 calophylla 23: 409
 cardonae 17: 398, 403, t404
 carolina 17: 398, 402
 cornifolia 17: 400, 419,
 420, 421, 424
 cornigera 17: 399, 416
 costanensis 17: 400, 401,
 420
 crassiloba 17: 398, 411
 cryptantha 17: 408, 422
 dasyantha 17: 401, 402
 duidae 17: 353, 397, 422,
 423; 23: 405, 406
 enervia 17: 399, 418
 fimbriata 17: 419, 420, 424
 fissistipula 17: 398, 399,
 402
 freemanii 17: 414
 graciliflora 17: 400, 410,
 411
 guyanensis 17: 400, 412
 hospes 17: 399, 418
 hostmanniana 17: 399, 413,
 415, 416
 subsp freemanii 17: 413,
 414
 subsp hostmanniana 17: 413
 inurbana 23: 650
 japurensis 17: 408
 karstenii 17: 400, 417, 421
 lanceaefolia 17: 396, 398,
 401, 402
 laurifolia 17: 401, 423,
 424, 425
 longirostris 23: 528
 longistipula 17: 421, 422
 lucentifolia 17: 399, 418
 macrophylla 17: 408

- marginata 17: 413, 416
maypurensis 17: 398, 411, 416
merumensis 17: 398, 402
micrantha 17: 419, 420
morichensis 17: 400, 424
nebulicola 17: 399, 414
obscura 23: 485
ovalifolia 17: 401, 402
palicoureoides 17: 423, 425
panurensis 17: 399, 408, 409
phaneroneura 17: 398, 399, 403, t405
pleurocalyx 17: 424, 425
psychotriaefolia 17: 408, 422
retifolia 17: 408, 412
sanarensis 17: 400, 420, 421
sandemani 17: 397, 408, 409
schomburgkiana 17: 411
sclerocalyx 17: 424
sessiliflora 17: 408
singularis 17: 422
sipapoensis 17: 399, 411
spicata 23: 591
sprucei 17: 408
standleyana 17: 400, 409, 411
stipulacea 17: 353, 397, 421, 422, 423; 23: 405, 406
tanaosepala 17: 398, 407
tilletii 17: 401, 416
traillii 17: 397, 408, 409
verticillata 17: 422
woronovii 17: 398, 406
wurdackii 17: 400, 413
- Rustia**
ferruginea 12: 185
- Sabicea** 17: 298, 307; 23: 316, 317, 322
amazonensis 17: 308, 312
ambigua 23: 316, 318
aristeguietae 17: 307, 309, t310
aspera 17: 307, 308, 314
glabrescens 17: 314
avelutina 17: 314
asperula 17: 309
brachycalyx 17: 308, 313
camporum 17: 312
cinerea 17: 308, 312
- colombiana 17: 308, 309
glabrescens 17: 308, 314
 var oblongifolia 17: 314, 316
glomerata 17: 312
guianensis (Aubl.) Baill. 17: 314, 315
guianensis Wernh. 17: 314, 315
hirsuta 17: 313, 314
 var sellowii 17: 314
leucotricha 17: 314, 315
oblongifolia 17: 308, 316
romboutsii 17: 308, 312
surinamensis 17: 308, 312
umbrosa 23: 316, 318
velutina 17: 308, 314, 315, 316
 subsp chimantensis 17: 315
 subsp duidensis 17: 315, 316
 subsp velutina 17: 315, 316
 var oblongifolia 17: 316
venezuelensis 17: 308, 309, t311
villosa 17: 308, 313, 314
 var adpressa 17: 314
 var sellowii 17: 314
 var villosa 17: 314
- Saldanha** 23: 285, 289
illustris 23: 288, 289
nobilis 23: 289, 292
- Schradera** 10: 259, 264, 270, 278
acuminata 10: 260, 261, 262, 273
angustifolia 10: 265
bipedunculata 10: 260, 263
brasiliensis 10: 261, 277
brevipes 10: t233, 263
cacuminis 10: 260, 264
campii 10: 264
capitata 10: 265, 277
cephalophora 10: 265, 267, 277
cephalotes 10: 270
clusiaefolia 10: 261, 265
cuatrecasaii 10: 260, 266, 273, 274
cubensis 10: 261, 267
exotica 10: 265, 274, 277
glabriflora 10: 261, 267, t268

- hilliaefolia 10: 261, 269
involucrata 10: 260, 270
jamaicensis 10: 270
lehmannii 10: 259, 270,
 271, 273
ligularis 10: 278; 17: 425,
 426; 23: 675
longifolia 10: 278
luxurians 10: 260, 270
maguirei 10: 260, 271
neeoides 10: 261, 272
nilssonii 10: 259, 260,
 272
polyccephala 10: 260, 261,
 272, 274, 276
puberula 10: 260, 273
revoluta 10: 261, 271
rotunda 10: 260, 273, 274
spicata 10: 278; 12: 221
 var multinervis 12: 221
stellata 10: 261
suaveolens 10: 260, 267,
 272, 274
subandina 10: 259
subsessilis 10: 275
surinamensis 10: 259, 276
ternata 10: 260, 268,
 275
umbellata 10: 278
vahlil 10: 265, 274, 277
 var acutifolia 10: 277
yutajensis 10: t194,
 261, 269, 276
- Schwenkfeldia
aurea 17: 306
hirsuta 17: 313
- Sickingia 17: 354; 23: 299,
 300
aristeguietae 23: 301
calderoniana 23: 306
catappifolia 23: 307
cordifolia 23: 306
corumbensis 23: 306
ecuadorensis 23: 306
erythroxyton 23: 299, 303
fragrans 23: 308
glaziovii 23: 307
goudotii 12: 185; 23: 307
hadrantha 23: 306
hexandra 23: 307
japurensis 23: 301, 302
klugei 23: 302
- longifolia 23: 299, 305
macrocrater 23: 307
maxonii 23: 306
mexicana 23: 307
mollis Lundell 23: 308
mollis Standley 23: 308
myriantha 23: 306
oliveri 23: 305, 307
paraensis 12: 185; 23: 307
paraguayensis 23: 307
parviflora 23: 302
pikia 23: 307
pisoniaeformis 12: 185
pisoniiformis 17: 353, 354;
 23: 305, 306
rhodoclada 23: 307
rubra 23: 307
salvadorensis 23: 307
sampaioana 23: 307
standleyi 23: 309
tinctoria auct. 23: 302
tinctoria (Aubl.) Lemée 23:
300, 301
tinctoria (H.B.K.) Schum. 23:
 300, 301
viridiflora 23: 307
williamsii 23: 307
xanthostema 23: 301, 302
- Siderodendron 17: 350
ferreum 17: 352
laxiflorum 17: 350
macrophyllum 17: 350
paniculatum 23: 708
- Sideroxyloides
ferrum 17: 352
- Simira 17: 354; 23: 227, 299,
 300, 302
aristeguietae 23: 300, 301
calderoniana 23: 306
catappifolia 23: 307
cordifolia 23: 306
corumbensis 23: 306
ecuadorensis 23: 306
erythroxyton 23: 302, 303,
 304
 var erythroxyton 23: 300,
 303, 304
 var meridensis 23: 300,
 303, 304
 var saxicola 23: 300, 303,
 304
fragrans 23: 305, 308

- glaziovii 23: 307
goudotii 23: 307
hadrantha 23: 306
hexandra 23: 307
klugei 23: 300, 302, 303
longifolia 23: 300, 302, 305, 306
macrocrater 23: 307
maxonii 23: 306
mexicana 23: 307
mollis 23: 308
myriantha 23: 300, 306
oliveri 23: 307
paraensis 23: 307
paraguayensis 23: 307
pikia 23: 307
pisoniiformis 23: 300, 305
rhodoclada 23: 307
rubescens 23: 300, 301, 302, 303, 305
rubra 23: 307
salvadorensis 23: 307
sampaioana 23: 307
standleyi 23: 309
tinctoria 23: 299, 300, 301, 302
viridiflora 23: 307
williamsii 23: 307
wurdackii 23: 300, 304
 Sipanea 10: 195, 221, 229;
 17: 234, 261, 284, 285, 290
 sect Sipanea 17: 268
 sect Virecta 17: 263
 subsect Cryptotricha
 17: 264
 subsect Luteovillosae
 17: 270
 subsect Nudae 17: 268
 subsect Phanerotricha
 17: 266
acinifolia 17: 263, 266, 267, 268
ayangannensis 17: 261, 269
biflora 17: 263, 264, 266
brasilienis 17: 279, 280
colombiana 17: 273, 275
coppenamensis 17: 272, 273
cowanii 17: 263, 265
dichotoma 17: 273, 275, 276
erythraeoides 17: 283
galioides 17: 262, 277, 278
glaberrima 17: 261, 270
glabrata 17: 262, 282
gleasonii 17: 263, 265
glomerata 17: 261, 281
 var glomerata 17: 281, 282
 var paucinervia 17: 281, 282
hispida Benth. ex Wernh. 17: 262, 276, 279, 280, 281, 282
 var hispida 17: 279, 280, 281
 var major 17: 262, 279, 280, 281
hispida Spruce ex Sch. 17: 279
micrantha 17: 263, 265
ovalifolia 17: 263, 265
pratensis 17: 261, 270, 271, 272, 273, 278
 var dichotoma 17: 263, 273, 274, 275, 277, 280, 281
 f brachycarpa 17: 271, 276
 f breviflora 17: 262, 272, 277
 f dichotoma 17: 271, 276, 277
 f glabriloba 17: 271, 276, 277
 f glabrior 17: 262, 271, 277
 var glaberrima 17: 270
 var major 17: 280
 var pratensis 17: 262, 271, 272, 276, 277
pubinoda 17: 262, 278
radicans 17: 264
rupicola 17: 285
spraguei 17: 266, 267, 268
stahelii 17: 261, 268, 270
 trianae 17: 279, 280
trichantha 17: 273, 275, 276
veris 17: 263, 266, 267, 268
wilson-brownei 17: 261, 268, 269, 270
Sipaneopsis 17: 234, 284
 foldatsii 17: 285, 288, 289
 maguirei 17: 285, 287
 morichensis 17: 285, 286
 pacimoniensis 17: 285, 289
 rupicola 17: 284, 285, 285

- wurdackii 17: 285, 288
 Solena
 gracilis 17: 327, 328
 latifolia 17: 326, 328,
 329
 Sommera 23: 317
 Spermaceae 23: 818
 alata 23: 810
 apiculata 23: 801
 atzensis 23: 823, 824,
 825, 831
 capitata 23: 819, 820,
 822
 capitellata 23: 818
 confusa 23: 792, 817, 818
 corymbosa 23: 821
 diffusa 23: 781
 ferruginea 23: 822
 frigida 23: 778
 gracilis 23: 815
 guianensis 23: 818
 hirta auct. 23: 782
 hirta L. 23: 782, 783
 hispida 23: 801
 hyssopifolia 23: 794,
 795
 laevis 23: 818
 linearis 23: 794, 796
 longifolia 23: 791
 f. *glabrata* 23: 791
 ocymifolia 23: 791
 ocymoides 23: 815
 orinocensis 23: 823
 prostrata 23: 815
 radula 23: 792
 rigida H.B.K. 23: 801,
 802
 rigida Salisb. 23: 801
 rigida Willd. ex R.&S.
 23: 801
 spinosa Jacq. 23: 813,
 814
 spinosa nomen, Jacq.
 23: 813
 spinosa L. 23: 813
 spinosa Sw. 23: 813
 suffruticosum 23: 814
 tenella 23: 823, 824,
 825, 827
 tenuior 23: 814, 818
 verticillata 23: 830
 verticillis globosis 23: 831
 villosa 23: 782, 783
 Spermaceae 23: 227, 777
 Sphinctanthus 23: 227, 322,
 323, 346
 maculatus 23: 322, 323, 324,
 325
 var. *macrophylla* 23: 323,
 324
 polycarpus 23: 322, 323, 324
 rupestris 23: 322, 323, 324
 striiflorus 23: 322, 324
 Sprucea
 rubescens 23: 301, 302
 Stachyarrhena 12: 211, 219, 221
 acuminata 12: 219
 acutiloba 12: 219, 220
 duckei 12: 219
 longifolia 10: 278; 12: 221
 pedicellata 12: 219
 penduliflora 12: 219, 221,
 222
 reflexa 12: 219
 reticulata 12: 217, 219, 220
 spicata 10: 278; 12: 219, 221
 Stachyococcus
 adinanthus 12: 244
 Stannia
 formosa 17: 326, 328, 329,
 330
 grandiflora 17: 325, 326
 metensis 17: 324, 325
 panamensis 17: 324, 325
 Stenostomum
 paniculatum 17: 341
 Stephanium 23: 457
 guianense 23: 457, 458
 Stilpnophyllum 23: 232
 Strepelia 17: 396, 397, 412,
 424, 425
 fimbriata 17: 424
 guyanensis 17: 412, 413
 Stylocoryne 17: 334
 Synisoon
 schomburgkianum 12: 233
 Tammsia 23: 317
 Tapogomea 23: 406, 484, 645,
 698
 alba 17: 425; 23: 638
 axillaris 23: 694, 698
 carapichea 23: 675, 676
 glabra 23: 649, 650
 muscosa 23: 671

- purpurea 23: 638
 tomentosa 23: 678
 violacea 23: 668, 670
 Tarenna 17: 334
 Tetramerium 17: 389
 jasminoides 17: 395
 sessilifolium 17: 388,
 389
 Tocoyena 12: 192; 17: 333
 breviflora 12: 193, 196,
 197
 foetida 12: 197
 formosa 12: 196, 197
 guianensis 12: 193, 194,
 195
 var communis 12: 194
 var glabriuscula 12:
 194, 195
 var guianensis 12: 194,
 195
 longiflora 12: 192, 193
 longifolia 17: 326
 mutisii 12: 198; 17: 325
 neglecta 12: 193, 195,
 196, 197, 198
 obliquenervia 17: 333
 orinocensis 12: 193, 196
 pendulina 12: 193, 195
 pittieri 17: 333
 sprucei 12: 197
 surinamensis 12: 193, 195
 velutina 12: 197, 198
 Tontanea
 canescens 17: 306
 guianensis 17: 302, 305
 herbacea 17: 301
 tenuis 17: 300
 Tournefortia
 tenuiflora 23: 399, 400,
 401
 Tournefortiopsis 23: 371
 major 23: 370, 371
 minor 23: 371
 reticulata 23: 371
 Ucriana 10: 195, 221
 Uncariopsis 10: 259
 suaveolens 10: 274
 Uragoga 23: 406, 407, 484
 alba 17: 425; 23: 466,
 638
 bracteocardia 23: 689
 costularia 23: 530
 domingensis 23: 700
 glabra 23: 649
 grandis 23: 456
 grosourdieana 23: 569, 570
 guianensis 23: 675
 hirta 23: 643
 kappleri 23: 674
 marginata 23: 451
 oblonga 23: 673
 parasitica 23: 569
 purpurea 23: 638
 quadrifolia 23: 760
 rufescens 23: 480
 tomentosa (Aubl.) O. Kuntze
 23: 678
 tomentosa (Aubl.) K. Schum.
 23: 678
 trichocephala 23: 648
 uliginosa 23: 558
 violacea 23: 668
 Urceolaria 10: 259
 angustifolia 10: 265
 capitata 10: 277
 clusiaefolia 10: 265
 exotica 10: 277
 involutrata 10: 270
 Virecta 17: 263
 biflora 17: 264
 Viscoides
 pendulum 23: 569
 Warszewiczia 12: 192
 longistaminea 12: 192
 Webera 17: 334